

**Federal Aviation
Administration**

Transmittal Letter 19-04

December 28, 2018

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
31-Jan-19	NC	Wilson	Wilson Industrial Air Center	8/7170	12/18/18	RNAV (GPS) RWY 33, Orig-B

AIRAC Date: 31 JANUARY 2019

FDC **8/7170** W03 IAP WILSON INDUSTRIAL AIR CENTER, Wilson, NC. RNAV (GPS) RWY 33, ORIG-B... CHART NOTE: STRAIGHT-IN RWY 33 NA AT NIGHT, CIRCLING RWY 9, 15, 27, 33 NA AT NIGHT. CHART NOTE: RWY 33 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: PROCEDURE NA AT NIGHT. CHANGE ALTIMETER SETTING NOTE TO READ: OBTAIN LOCAL ALTIMETER SETTING ON CTAF; WHEN NOT RECEIVED, USE ROCKY MOUNT ALTIMETER SETTING. CHANGE ROCKY MOUNT-WILSON RGNL ALTIMETER SETTING MINIMUMS TO READ: ROCKY MOUNT ALTIMETER SETTING MINIMUMS. THIS IS RNAV (GPS) RWY 33, ORIG-C. 1810191649-PERM