

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BRDJE (RNAV)	FIVE	SEEV.RBRDJE5	FOUR	02/23/2023	11 JUL 2024

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
AXXEE	AXXEE.BRDJE5	AXXEE	AXXEE						
			FSHEN	195.94	31.30	10000	2200		
			SEEV.R	195.55	24.37	5000	2200		BETWEEN FL200 AND FL230
CHMLI	CHMLI.BRDJE5	CHMLI	CHMLI						
			JUSST	215.72	09.51	10000	2100		
			TUSLE	215.70	25.64	10000	2100		BETWEEN FL240 AND FL300
			SEEV.R	215.55	24.35	5000	2200		BETWEEN FL200 AND FL230
FEWWW	FEWWW.BRDJE5	FEWWW	FEWWW						
			PROWD	245.85	65.92	10000	2300		
			LETHR	245.14	10.12	10000	2300		
			ARMYY	244.92	25.63	10000	2300		BETWEEN FL240 AND FL300
			SEEV.R	244.67	24.35	5000	2200		BETWEEN FL200 AND FL230
HITUG	HITUG.BRDJE5	HITUG	HITUG						
			SSLID	167.05	56.01	10000	3700		
			PLEZE	169.46	31.26	10000	3500		
			CHMLI	215.90	20.13	10000	2700		
			JUSST	215.72	09.51	10000	2100		
			TUSLE	215.70	25.64	10000	2100		BETWEEN FL240 AND FL300
			SEEV.R	215.55	24.35	5000	2200		BETWEEN FL200 AND FL230
JRHED	JRHED.BRDJE5	JRHED	JRHED						
			PROWD	266.68	36.56	10000	2300		
			LETHR	245.14	10.12	10000	2300		
			ARMYY	244.92	25.63	10000	2300		BETWEEN FL240 AND FL300
			SEEV.R	244.67	24.35	5000	2200		BETWEEN FL200 AND FL230
PROWD	PROWD.BRDJE5	PROWD	PROWD						
			LETHR	245.14	10.12	10000	2300		
			ARMYY	244.92	25.63	10000	2300		BETWEEN FL240 AND FL300

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number			STAR Computer Code	Superseded Number			Dated	Effective Date
BRDJE (RNAV)	FIVE			SEEV.R.BRDJE5	FOUR			02/23/2023	11 JUL 2024
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			SEEV.R	244.67	24.35	5000	2200		BETWEEN FL200 AND FL230
RRNET	RRNET.BRDJE5	RRNET	RRNET						
			PLEZE	216.18	27.55	10000	3600		
			CHMLI	215.90	20.13	10000	2700		
			JUSST	215.72	09.51	10000	2100		
			TUSLE	215.70	25.64	10000	2100		BETWEEN FL240 AND FL300
			SEEV.R	215.55	24.35	5000	2200		BETWEEN FL200 AND FL230
RRONY	RRONY.BRDJE5	RRONY	RRONY						
			FRMEN	255.17	18.22	10000	2300		
			SEEV.R	255.06	24.34	5000	2200		BETWEEN FL200 AND FL230

ARRIVAL ROUTE DESCRIPTION:

FROM SEEV.R ON TRACK 225.17/10.95 TO CROSS BRDJE BETWEEN 17000 AND FL190 AND AT 280 KIAS, THEN ON TRACK 225.68/4.77 TO CROSS COVIE AT OR BELOW 17000, THEN ON TRACK 224.01/8.39 TO CROSS LEMYN BETWEEN 13000 AND 15000 AND AT 270 KIAS, THEN ON TRACK 225.10/9.82 TO CROSS PITHY BETWEEN 12000 AND 13000 AND AT 240 KIAS, THEN ON TRACK 224.80/9.16 TO CROSS STONZ AT 12000 AND AT 210 KIAS, THEN ON TRACK 179.54/10.56 TO ROCKZ, THEN ON TRACK 176.00/12.14 TO JEKIL, THEN ON TRACK 176.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

NOTE: FOR USE WHEN DFW IS OPERATING IN A NORTH FLOW. WHEN DFW IS IN SOUTH FLOW, EXPECT AND FILE THE SEEV.R (RNAV) STAR.

NOTE: JRHED TRANSITION: DO NOT FILE - TO BE ASSIGNED BY ATC.

NOTE: PROWD TRANSITION: DO NOT FILE - TO BE ASSIGNED BY ATC.

NOTE: CHMLI TRANSITION: DO NOT FILE - TO BE ASSIGNED BY ATC.

NOTE: AXXEE AND RRONY TRANSITIONS FOR AIRCRAFT FILING FL230 AND BELOW.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT CHMLI: HOLD NE, RT, 215.90 INBOUND, 10 NM LEGS.

CHART HOLDING AT KOMMA: HOLD NE, RT, 217.00 INBOUND, 15 NM LEGS.

CHART HOLDING AT MEEOW: HOLD E, RT, 248.00 INBOUND, 15 NM LEGS.

CHART HOLDING AT PROWD: HOLD NE, RT, 245.14 INBOUND, 10 NM LEGS.

CHART HOLDING AT SEEV.R: HOLD NE, RT, 225.00 INBOUND, 10 NM LEGS.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BRDJE (RNAV)	FIVE	SEEV.R.BRDJE5	FOUR	02/23/2023	11 JUL 2024

COMMUNICATIONS:

CHART: DALLAS REGIONAL APP CON.

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
KDFW	DALLAS-FORT WORTH	TX

LOST COMMUNICATIONS PREFERENCES:**REMARKS:****ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: KDFW 04E/2015

CHART AT JEKIL TERMINUS: LDG KDFW RWYS 31L/R, 35L/C/R, 36L/R

FLIGHT INSPECTED BY:

NICHOLAS A VARNER

ORGANIZATION:

FPO

DATE:

04/08/2024

Flight Inspected Signature:

DEVELOPED BY:

KWEKU DONKOR

AJV-A433

12/10/2023

Developed By Signature:

APPROVED BY:

BEV BORDY

AJV-A430

Approved By Signature:

*Digitally signed by***ROBERT G HAMILTON**

Apr 10, 2024

*Digitally signed by***KWEKU DONKOR**

Feb 12, 2024

*Digitally signed by***ROBERT G HAMILTON**

Feb 26, 2024

CHANGES:

1. CHANGED SPEED RESTRICTION AT LEMYN FROM 280 TO 270 KIAS.
2. CHANGED SPEED RESTRICTION AT PITHY FROM 260 TO 240 KIAS.
3. TERMINUS CHART NOTE CORRECTED.
4. MOCA VALUE AT SEEV.R INCREASE FROM 2100 TO 2200.


REASONS:

- 1-2. ATC REQUESTED.
3. RUNWAYS CHARTED INCORRECTLY.
4. PER TARGETS RESULTS.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BRDJE (RNAV)	FIVE	SEEV.RBDJE5	FOUR	02/23/2023	11 JUL 2024
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name BRDJE (RNAV)	Number FIVE	STAR Computer Code SEEV.BRDJE5		Superseded Number FOUR		Dated 02/23/2023	Effective Date 11 JUL 2024		
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
AXXEE	341916.58N / 0955255.12W	Y		IF					AXXEE.BRDJE5
FSHEN	334947.54N / 0960544.00W	Y	FB	TF	199.94	31.30			
SEEV.R	332646.50N / 0961528.78W	Y	FB	TF	199.55	24.37	FL200BFL230	AT 290K	
En Route Transition									
CHMLI	341243.87N / 0952959.51W	Y		IF					CHMLI.BRDJE5
JUSST	340523.97N / 0953718.53W	Y	FB	TF	219.72	09.51			
TUSLE	334536.76N / 0955656.86W	Y	FB	TF	219.70	25.64	FL240BFL300	AT 290K	
SEEV.R	332646.50N / 0961528.78W	Y	FB	TF	219.55	24.35	FL200BFL230	AT 290K	
En Route Transition									
FEWWW	341144.05N / 0935408.25W	Y		IF					FEWWW.BRDJE5
PROWD	334836.39N / 0950824.21W	Y	FB	TF	249.85	65.92			
LETHR	334459.28N / 0951944.45W	Y	FB	TF	249.14	10.12			
ARMYY	333541.77N / 0954822.36W	Y	FB	TF	248.92	25.63	FL240BFL300	AT 290K	
SEEV.R	332646.50N / 0961528.78W	Y	FB	TF	248.67	24.35	FL200BFL230	AT 290K	
En Route Transition									
HITUG	355445.26N / 0952919.73W	Y		IF					HITUG.BRDJE5
SSLID	345919.73N / 0951843.33W	Y	FB	TF	171.05	56.01			
PLEZE	342813.22N / 0951425.13W	Y	FB	TF	173.46	31.26			
CHMLI	341243.87N / 0952959.51W	Y	FB	TF	219.90	20.13			
JUSST	340523.97N / 0953718.53W	Y	FB	TF	219.72	09.51			
TUSLE	334536.76N / 0955656.86W	Y	FB	TF	219.70	25.64	FL240BFL300	AT 290K	
SEEV.R	332646.50N / 0961528.78W	Y	FB	TF	219.55	24.35	FL200BFL230	AT 290K	
En Route Transition									
JRHED	334818.19N / 0942431.90W	Y		IF					JRHED.BRDJE5
PROWD	334836.39N / 0950824.21W	Y	FB	TF	270.68	36.56			

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name BRDJE (RNAV)		Number FIVE		STAR Computer Code SEEV.R.BRDJE5		Superseded Number FOUR		Dated 02/23/2023	Effective Date 11 JUL 2024
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
LETHR	334459.28N / 0951944.45W	Y	FB	TF	249.14	10.12			
ARMYY	333541.77N / 0954822.36W	Y	FB	TF	248.92	25.63	FL240BFL300	AT 290K	
SEEV.R	332646.50N / 0961528.78W	Y	FB	TF	248.67	24.35	FL200BFL230	AT 290K	
En Route Transition									
PROWD	334836.39N / 0950824.21W	Y		IF					PROWD.BRDJE5
LETHR	334459.28N / 0951944.45W	Y	FB	TF	249.14	10.12			
ARMYY	333541.77N / 0954822.36W	Y	FB	TF	248.92	25.63	FL240BFL300	AT 290K	
SEEV.R	332646.50N / 0961528.78W	Y	FB	TF	248.67	24.35	FL200BFL230	AT 290K	
En Route Transition									
RRNET	344919.94N / 0945255.33W	Y		IF					RRNET.BRDJE5
PLEZE	342813.22N / 0951425.13W	Y	FB	TF	220.18	27.55			
CHMLI	341243.87N / 0952959.51W	Y	FB	TF	219.90	20.13			
JUSST	340523.97N / 0953718.53W	Y	FB	TF	219.72	09.51			
TUSLE	334536.76N / 0955656.86W	Y	FB	TF	219.70	25.64	FL240BFL300	AT 290K	
SEEV.R	332646.50N / 0961528.78W	Y	FB	TF	219.55	24.35	FL200BFL230	AT 290K	
En Route Transition									
RRONY	333455.16N / 0952530.56W	Y		IF					RRONY.BRDJE5
FRMEN	333127.47N / 0954654.98W	Y	FB	TF	259.17	18.22			
SEEV.R	332646.50N / 0961528.78W	Y	FB	TF	259.06	24.34	FL200BFL230	AT 290K	
Common Route									
SEEV.R	332646.50N / 0961528.78W	Y		IF			FL200BFL230	AT 290K	SEEV.R.BRDJE5
BRDJE	331935.59N / 0962522.28W	Y	FB	TF	229.17	10.95	17000BFL190	AT 280K	
COVIE	331630.00N / 0962942.53W	Y	FB	TF	229.68	04.77	AT/BELOW 17000		
LEMYN	331052.30N / 0963708.44W	Y	FB	TF	228.01	08.39	13000B15000	AT 270K	
PITHY	330425.33N / 0964558.53W	Y	FB	TF	229.10	09.82	12000B13000	AT 240K	
STONZ	325822.25N / 0965410.24W	Y	FB	TF	228.80	09.16	AT 12000	AT 210K	

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name BRDJE (RNAV)	Number FIVE	STAR Computer Code SEEV.R.BRDJE5		Superseded Number FOUR		Dated 02/23/2023	Effective Date 11 JUL 2024		
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
ROCKZ	324748.33N / 0965456.61W	Y	FB	TF	183.54	10.56			
JEKIL	323538.23N / 0965456.61W	Y	FO	TF	180.00	12.14			
KDFW				FM	180.00				