

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL AT TQA VOR/DME ON V94 EASTBOUND.

CHART NOTE: STRAIGHT-IN/CIRCLING RWY 35 PROCEDURE NA AT NIGHT.

CHART NOTE: PROCEDURE NA FOR ARRIVAL AT OWENN ON V77 SOUTHWEST BOUND.

QUALITY
1
CHECKED

CITY AND STATE
WINTERS, TX

ELEVATION: 1871 THRE: 1871
AIRPORT NAME:
WINTERS MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 35, ORIG
25 AUG 2011

SUP:
AMDT: NONE
DATED:

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	77F
RUNWAY	RW35
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W35A
LTP/FTP LATITUDE	315634.0458N
LTP/FTP LONGITUDE	0995909.1856W
LTP/FTP ELLIPSOIDAL HEIGHT	+05447
FPAP LATITUDE	315803.3400N
FPAP LONGITUDE	0995908.4600W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1776
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER

66F0AEAA

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+05703
FPAP ORTHOMETRIC HEIGHT	+05703

QUALITY
CHECKED

CITY AND STATE WINTERS, TX	ELEVATION: 1871	THRE: 1871	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 25 AUG 2011	SUP:
	AIRPORT NAME: WINTERS MUNI				AMDT: NONE
					DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 77F K4FR35	AOWENN	010WENN	K4EA0E	A	IF					18000		A JS	I
SUSAP 77F K4FR35	AOWENN	020FILEPK4EA0EE	B	010TF			06220162	+ 04000				A JS	I
SUSAP 77F K4FR35	ATQA	010TQA	K4D 0V		IF					18000		A JS	I
SUSAP 77F K4FR35	ATQA	020FILEPK4EA0EY		020TF			18990283	+ 04000				A JS	I
SUSAP 77F K4FR35	ATQA	030FILEPK4EA0EE	AR	HF			35240040	+ 04000				A JS	I
SUSAP 77F K4FR35	R	010FILEPK4EA0E	I	IF				+ 04000		18000		A JS	I
SUSAP 77F K4FR35	R	020SAVHEK4EA1E	F	051TF			35240050	+ 03300			RW35	K4PGA	JS I
SUSAP 77F K4FR35	R	020SAVHEK4EA2WALP			N	ALNAV						JS	I
SUSAP 77F K4FR35	R	021PADYIK4EA0E	S	031TF			35240029	V 0238002389		-300		A JS	I
SUSAP 77F K4FR35	R	030RW35	K4PGOGY	M	031TF		35240015	01911		-300		A JS	I
SUSAP 77F K4FR35	R	040		M	CA		3524	+ 02240				A JS	I
SUSAP 77F K4FR35	R	050ROXAEK4EA0EY		DF				+ 04000				A JS	I
SUSAP 77F K4FR35	R	060ROXAEK4EA0EE	R	HM			17240040	+ 04000				A JS	I

QUALITY
CHECKED

CITY AND STATE WINTERS, TX	ELEVATION: 1871 THRE: 1871 AIRPORT NAME: WINTERS MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 25 AUG 2011	SUP:
				AMDT: NONE
				DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
1
CHECKED

CITY AND STATE WINTERS, TX	ELEVATION: 1871 THRE: 1871 AIRPORT NAME: WINTERS MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 25 AUG 2011	SUP:
				AMDT: NONE
				DATED: