

**Federal Aviation  
Administration**

**Transmittal Letter 20-12**

**April 17, 2020**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
21-May-20	CO	Pueblo	Pueblo Memorial	0/6607	4/1/20	RNAV (GPS) RWY 8R, AMDT 1

**AIRAC Date: 21 MAY 2020**

FDC 0/6607 PUB IAP PUEBLO MEMORIAL, PUEBLO, CO. RNAV (GPS) RWY 8R, AMDT 1...  
DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA  
BELOW -22C (-7F) OR ABOVE 47C (116F). CHART NOTE: FOR UNCOMPENSATED BARO-  
VNAV SYSTEMS, LNAV/VNAV NA BELOW -22C OR ABOVE 47C. DELETE NOTE:  
DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: FOR  
INOP MALSR, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 3/4 MILE. CHART NOTE:  
FOR INOPERATIVE ALS, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 3/4 SM. THIS  
IS RNAV (GPS) RWY 8R, AMDT 1A. 2001231618-PERM