

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**NDB STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.27**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: JUY NDB
RUTEL INT	JUY NDB	185.67 / 24.65	2500	CLIMB TO 1500 THEN CLIMBING RIGHT TURN TO 2000 DIRECT JUY NDB AND HOLD.
BVG NDB	JUY NDB	267.53 / 21.12	2000	
				<b>ADDITIONAL FLIGHT DATA:</b> HOLD NE, RT, 240.00 INBOUND. FAS OBST: 619 AAO 312449N/0861658W FAC CROSSES RWY 1367 FEET NW OF RWY 29 THLD.

1. PT L SIDE OF COURSE 060.00 OUTBOUND 2000 FT WITHIN 10 MILES OF JUY NDB (IAF)  
 2. \_\_\_\_\_  
 3. FAC 240.00 FAF \_\_\_\_\_ DIST FAF TO MAP \_\_\_\_\_ THLD \_\_\_\_\_  
 4. MIN. ALT \_\_\_\_\_  
 8. MSA FROM: JUY NDB 2500


MAG VAR: 2W EPOCH YEAR: 2005

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			@STANDARD					
CATEGORY ==>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING	980	1	670	980	1	670	980	1 3/4	670	980	2	670			

**NOTES:**

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CAIRNS AAF ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET.  
 CHART PLANVIEW NOTE: INTENSE ROTARY AND FIXED WING TRAINING IN VICINITY OF AIRPORT.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.



CITY AND STATE ANDALUSIA/OPP, AL	ELEVATION: 310	TDZE:	FACILITY IDENTIFIER: JUY	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: NDB-A, AMDT 4 28 JUL 2011	SUP
	AIRPORT NAME: SOUTH ALABAMA RGNL AT BILL BENTON FIELD				AMDT 3
					DATE 08/30/2007

Pub 07/20/11

TR 11-16

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
 NDB STANDARD INSTRUMENT APPROACH PROCEDURE  
 FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.27

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
RUTEL INT	JUY NDB	185.67 / 24.65	2500	MAP: JUY NDB
BVG NDB	JUY NDB	267.53 / 21.12	2000	CLIMB TO 1500 THEN CLIMBING RIGHT TURN TO 2000 DIRECT JUY NDB AND HOLD.
				ADDITIONAL FLIGHT DATA: HOLD NE, RT, 240.00 INBOUND. FAS OBST: 619 AAO 312449N/0861658W FAC CROSSES RWY 1367 FEET NW OF RWY 29 THLD.

1. PT L SIDE OF COURSE 060.00 OUTBOUND 2000 FT WITHIN 10 MILES OF JUY NDB (IAF)  
 2. \_\_\_\_\_  
 3. FAC 240.00 FAF \_\_\_\_\_ DIST FAF TO MAP \_\_\_\_\_ THLD \_\_\_\_\_  
 4. MIN. ALT \_\_\_\_\_  
 8. MSA FROM: JUY NDB 2500

MAG VAR: 2W EPOCH YEAR:2005

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		@STANDARD			
CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING	980	1	670	980	1	670	980	1 3/4	670	980	2	670			

NOTES:  
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CAIRNS AAF ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.  
 CHART PLANVIEW NOTE: INTENSE ROTARY AND FIXED WING TRAINING IN VICINITY OF AIRPORT.

CITY AND STATE ANDALUSIA/OPP, AL	ELEVATION: 310	TDZE:	FACILITY IDENTIFIER: JUY	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: NDB-A, AMDT 4	SUP
	AIRPORT NAME: SOUTH ALABAMA RGNL AT BILL BENTON FIELD				AMDT 3
					DATE 08/30/2007

ALL AFFECTED PROCEDURES REVIEWED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	COORDINATES OF FACILITIES NDB: 311818.34N / 0862327.22W, NGS 405 SURVEY	REQUIRED EFFECTIVE DATE ROUTINE
--	--	------------------------------------

COORDINATED WITH:						
ATA <input checked="" type="checkbox"/>	AAT <input type="checkbox"/>	ALPA <input checked="" type="checkbox"/>	APA <input type="checkbox"/>	AOPA <input type="checkbox"/>	NBAA <input checked="" type="checkbox"/>	OTHER (specify) <input checked="" type="checkbox"/> ZJX, CAIRNS ARAC

FLIGHT CHECKED BY

NAME: <i>W</i> William R Geiser <i>Quinn</i>	FIFO AVN	DATE: 4/17/11
--	-------------	------------------

DEVELOPED BY

NAME: ROBERT W. COOK <i>Robert Cook</i>	FIFO AJV-352	DATE: 01/27/2011
---	-----------------	---------------------

APPROVED BY

NAME: <i>DA</i> DARRYL ADAMS <i>Quinn</i>	FIFO AJV-352	DATE: <del>01/27/2011</del>
---	-----------------	--------------------------------

CHANGES:

1. RAISED ALL MDA'S 120 FEET.
  2. CHANGED THE WORD "IF" TO WHEN IN THE REMOTE ALTIMETER SETTING NOTE.
  3. ADDED NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
  4. REVISE BVG COURSE FROM 262 TO 268.
  5. ALTERNATE WEATHER MINIMUMS AUTHORIZED.
- 8-16-11*

IDENTIFY NEW FAS CONTROLLING OBSTACLE:

1. IDENTIFY NEW FAS CONTROLLING OBSTACLE.
2. 3. CRITERIA.
4. BVG NDB MAG VAR CHANGED.
5. JUY NDB IS NOW CAT 1 MONITORED.

