

**Federal Aviation  
Administration**

**Transmittal Letter 22-18**

**August 11, 2022**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
8/11/2022	ME	Bar Harbor	Hancock County/Bar Harbor	2/9700	6/23/2022	RNAV (GPS) RWY 22, Amdt 1B

**AIRAC Date: 11 AUGUST 2022**

FDC 2/9700 BHB IAP HANCOCK COUNTY/BAR HARBOR, BAR HARBOR, ME. RNAV (GPS) RWY 22, AMDT 1B... CIRCLING CATS B/C MDA 720/HAA 637. LNAV/VNAV VISIBILITY 1 1/2 ALL CATS. CHART NOTE: CIRCLING RWY 17, 35 NA AT NIGHT. DELETE NOTE: CIRCLING TO RWY 17 NA AT NIGHT. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE BANGOR ALTIMETER SETTING AND INCREASE LPV DA TO 366 FEET; INCREASE LNAV/VNAV DA TO 780 FEET AND ALL VISIBILITIES 1/4 SM. INCREASE ALL MDAS 100 FEET AND LNAV VISIBILITY CATS C/D, AND CIRCLING VISIBILITY CATS C/D 1/4 SM. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE BANGOR ALTIMETER SETTING AND INCREASE ALL DA 83 FEET AND ALL MDA 100 FEET; INCREASE LPV ALL CATS, LNAV/VNAV ALL CATS, LNAV CAT C/D AND CIRCLING CAT D VISIBILITY SM. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15 C OR ABOVE 49 C. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15 C (5 F) OR ABOVE 49 C (120 F). PBN REQUIREMENTS NOTE: RNP APCH-GPS. DELETE NOTE: DME/DME RNP-0.3 NA. THIS IS RNAV (GPS) RWY 22, AMDT 1C.  
2205051730-PERM