

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
VOR OR TACAN STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.23**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> PHNL	<u>PROCEDURE NAME</u> VOR OR TACAN-A	<u>ORIGINAL/AMENDMENT</u> 1D	<u>CITY</u> HONOLULU	<u>STATE</u> HI	
<u>AIRPORT ELEVATION</u> 13	<u>TDZE</u>	<u>SUPERSEDED</u> VOR OR TACAN-A	<u>ORIGINAL/AMENDMENT</u> 1C	<u>DATED</u> 11/08/2018	<u>MAG VAR</u> 11E
<u>FACILITY</u> HNL	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 25 FEBRUARY 2021	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>	<u>EPOCH YEAR</u> 1990

TERMINAL ROUTES

THIS IS A CORRECTED COPY OF A PROCEDURE ORIGINALLY PUBLISHED IN TL 21-03.

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
CKH VORTAC	IAF	LEHUA INT/HNL 10.00 DME	NOPT				220.00	7.50	3000
HAUNA INT/HNL 17.70 DME	IAF	LEHUA INT/HNL 10.00 DME	NOPT				305.00	7.70 (HNL R-125)	3000
LEHUA INT/HNL 10.00 DME	IF	DYDRA INT/HNL 5.00 DME					305.00	5.00 (HNL R-125)	1500

MISSED APPROACH

MAP:
HNL VORTAC

MISSED APPROACH INSTRUCTIONS:
CLIMBING LEFT TURN TO 3000 ON HNL R-171 TO ALANA INT/HNL 13.94 DME AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

PROFILE:

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD SE LEHUA, RT, 305.00 INBOUND, 3000 FT. IN LIEU OF PT (IAF), MAX 17000.
3. FAF: 305.00 FAF: DYDRA INT/HNL 5.00 DME DIST FAF TO MAP: DIST FAF TO THLD:
4. MIN ALT: LEHUA INT/HNL 10.00 DME 3000, DYDRA INT/HNL 5.00 DME 1500
8. MSA FROM: HNL VORTAC 360-180 4400, 180-270 4000, 270-360 5300 ←

EQUIPMENT REQUIREMENTS NOTES:

NOTES:
CHART NOTE: CIRCLING RWY 22R NA AT NIGHT.
CHART NOTE: CIRCLING NA FOR CATS A AND B NW OF RWYS 8L AND 22R.
CHART NOTE: CIRCLING NA FOR CATS C AND D N OF RWY 8L-26R.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT HAUNA ON V8 EASTBOUND.



CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT CKH VORTAC AIRWAY RADIAL 272.
CHART NOTE: CIRCLING NA TO SEA LANES 4W, 8W 22W, AND 26W.

ADDITIONAL FLIGHT DATA:

HOLD S, RT, 351.00 INBOUND.
FAS OBST: 208 SHIP 211452N/1575208W.
FAC CROSSES MIDPOINT OF RWY 8L-26R.
CHART CIRCLING ICON.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA CAT C 800-2 1/4, CAT D 1400-3

CATEGORY:	A			B			C			D			E		
	FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS
CIRCLING	680	1	667	760	1	747	820	2 1/4	807	1400	3	1387			

CHANGES - REASONS

- INCORPORATED CHANGES FROM AMENDMENTS 1A, 1B, AND 1C.
- CHANGED CIRCLING MDA/HAA CAT A FROM 640/627 TO 680/667 AND CAT C FROM 760/747 TO 820/807. - NEW CONTROLLING OBSTACLES.

01/13/21: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 11/24/20.

- CORRECTED MSA FROM 2 SECTORS (360-270/270/360) BACK TO 3 SECTORS (360-180/180-270/270-360). - INADVERTANTLY CHANGED IN THIS AMMENDMENT.

1/19/21 THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 1/13/21

- CHANGED LINE 8 MSA FROM HNL VORTAC 360-180 4400, 180-270 5300, 270-360 4000 TO HNL VORTAC 360-180 4400, 180-270 4000, 270-360 5300.

COORDINATED WITH:

A4A ALPA AOPA APA HAI NBAA OTHER: ZHN, HCF APP CON, AMGR, USAF

FLIGHT CHECKED BY

DONALD ALOYSIUS MCGOUGH

Digitally signed by

DONALD H LANIER

Jan 19, 2021

OFFICE

FIOG

DATE

12/14/2020

DEVELOPED BY

LIAM DONAHUE

Digitally signed by

DONALD H LANIER

Jan 19, 2021

OFFICE

AJV-A431

DATE

09/04/2020

APPROVED BY

LONNIE EVERHART

Digitally signed by

DONALD H LANIER

Jan 19, 2021

OFFICE

AJV-A430

DATE

TITLE
MANAGER

