

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
CARYN	SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

AURORA MUNI:

TAKEOFF RWY 9: CLIMB ON HEADING 090.14 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 15: CLIMB ON HEADING 147.71 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 18: CLIMB ON HEADING 180.95 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 27: CLIMB ON HEADING 270.15 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 33: CLIMB ON HEADING 327.71 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 36: CLIMB ON HEADING 000.95 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...

DUPAGE:

TAKEOFF RWY 2L, 2R: CLIMB ON HEADING 015.01 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 10: CLIMB ON HEADING 097.02 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 15: CLIMB ON HEADING 148.56 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 20L, 20R: CLIMB ON HEADING 195.02 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 28: CLIMB ON HEADING 277.03 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 33: CLIMB ON HEADING 328.57 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...

GARY/CHICAGO INTL:

TAKEOFF RWY 2: CLIMB ON HEADING 022.18 TO 1100, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 12: CLIMB ON HEADING 125.15 TO 1100, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 20: CLIMB ON HEADING 202.19 TO 1300, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 30: CLIMB ON HEADING 305.16 TO 1100, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...

LEWIS UNIVERSITY:

TAKEOFF RWY 2: CLIMB ON HEADING 014.73 TO 1300, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 9: CLIMB ON HEADING 088.73 TO 1180, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 20: CLIMB ON HEADING 194.73 TO 1180, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 27: CLIMB ON HEADING 268.74 TO 1180, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...

... ON TRACK 185.04 TO CARYN, THEN ON (TRANSITION), MAINTAIN 3000. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
CYBIL	CARYN7.CYBIL	CARYN	CYBIL	TRACK 179.68	55.96	5000	2200	

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS.

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED.
RADAR REQUIRED FOR NON-GPS EQUIPPED AIRCRAFT.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
CARYN	SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024

PROCEDURAL DATA NOTES:

NOTE: TURBOJET DEPARTURES MAINTAIN 250 KIAS UNTIL ADVISED BY ATC.

TAKEOFF MINIMUMS:**AURORA MUNI:**

RWY 9, 15, 18, 27, 33, 36: STANDARD.

DUPAGE:

RWY 2L, 2R, 10, 20L, 20R, 28, 33: STANDARD.

RWY 15: 300-1 3/8 OR STANDARD WITH MINIMUM CLIMB OF 205 FT PER NM TO 1000.

GARY/CHICAGO INTL:

RWY 12, 20, 30: STANDARD.

RWY 2: STANDARD WITH MINIMUM CLIMB OF 323 FT PER NM TO 900.

LEWIS UNIVERSITY:

RWY 20, 27: STANDARD.

RWY 2: STANDARD WITH MINIMUM CLIMB OF 420 FT PER NM TO 2700.

RWY 9: STANDARD WITH MINIMUM ATC CLIMB OF 260 FT PER NM TO 2700.

TAKEOFF OBSTACLES NOTES:**AURORA MUNI:**

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

DUPAGE:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

GARY/CHICAGO INTL:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

LEWIS UNIVERSITY:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:**DUPAGE:**

RWY 15: 927 FT MSL TOWER 415354.25N, 0881314.62W.

GARY/CHICAGO INTL:

RWY 2: 791 FT MSL STACK 413757.67N/0872408.22W, 823FT MSL STACK 413821.50N/0872425.23W.

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 20: 1096 FT MSL TOWER 413358.15N/0872506.13W.

LEWIS UNIVERSITY:

RWY 2: 875 FT MSL TOWER 413755.00N/0880541.00W.

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 2: 1087 FT MSL STACK 413759.00N/0880344.00W.

MSA:

MSA FROM KARR, 2600.

MSA FROM KDPA, 3400.

MSA FROM KGY, 3400.

MSA FROM KLOT, 3400.

LOST COMMUNICATIONS PROCEDURES:**ADDITIONAL FLIGHT DATA:**

AIRPORT MV: DPA (P) 1W/1985, ARR 1W/1990, GYY 2W/1990, LOT 2W/2000.

DME/DME ASSESSMENT: SAT (RNP 2.0)



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
CARYN	SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024

CHART: MEA/MOCA FROM CMSKY TO CARYN, 5000/2300.
 ALL AIRPORTS - CHART: TOP ALTITUDE: 3000

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
KDPA	CHICAGO/WEST CHICAGO	IL
KARR	CHICAGO/AURORA	IL
KGYG	GARY/CHICAGO	IN
KLOT	CHICAGO/ROMEUVILLE	IL

COMMUNICATIONS:

CHART: ATIS, GND CON, TWR

FIXES AND/OR NAVAIDS:

REMARKS:

ABBREVIATED AMENDMENT TO CHANGE CITY NAME FROM GARY TO GARY/CHICAGO.
 PER ATC, INITIAL CLIMB TO 3000 NECESSARY FOR SEPARATION. AIRCRAFT WILL BE AT/ABOVE 5000 BY CMSKY.
 LEWIS UNIVERSITY TAKEOFF MINIMUMS RWY 2, 9 CG/CTA PER ATC REQUEST.

FLIGHT INSPECTED BY

SIGNATURE

OFFICE

DATE

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION

Digitally signed by

DAVID DANNER

Aug 15, 2024

DEVELOPED BY

SIGNATURE

OFFICE

DATE

TIMOTHY JOHNSON

Digitally signed by

Timothy Johnson

Aug 08, 2024

AJV-A421

08/05/2024

APPROVED BY

SIGNATURE

OFFICE

DATE

TITLE

DAVID DANNER

Digitally signed by

DAVID DANNER

Aug 15, 2024

AJV-A421

10/31/2023

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:**ZAU, CHICAGO APP CON, GYY ATCT, ARR ATCT, DPA ATCT, AMGR.

CHANGES - REASONS:

1. CHANGED ALL INSTANCES OF "CLIMB HEADING..." TO "CLIMB ON HEADING..." IN DP ROUTE DESCRIPTION - CURRENT CRITERIA.
2. DP ROUTE DESCRIPTION: LEWIS UNIVERSITY: TAKEOFF RWY 2: CHANGED FROM "CLIMB ON HEADING 014.73 TO 1180" TO "CLIMB ON HEADING 014.73 TO 1300" - TO MATCH ODP ALTITUDE.
3. MOVED NOTE: "RADAR REQUIRED" FROM PROCEDURAL DATA NOTES TO EQUIPMENT REQUIREMENT NOTES - CURRENT CRITERIA.
4. MOVED NOTE: "RNAV 1" AND NOTE: "DME/DME/IRU OR GPS REQUIRED" FROM PROCEDURAL DATA NOTES TO PBN REQUIREMENT NOTES - CURRENT CRITERIA.
5. ADDED EQUIPMENT REQUIREMENT NOTE: "RADAR REQUIRED FOR NON-GPS EQUIPPED AIRCRAFT" - CURRENT CRITERIA.
6. REMOVED "1087 FT MSL STACK 413759.00N/0880344.00W, 876 FT MSL TOWER 413755.97N/0880541.31W" FROM LEWIS UNIVERSITY CONTROLLING OBSTACLES - NOT NEEDED.
7. ADDED "OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 2: 1087 FT MSL STACK 413759.00N/0880344.00W" TO LEWIS UNIVERSITY CONTROLLING OBSTACLES - CURRENT CRITERIA.
8. ADDED MSA FROM KARR, 2600, MSA FROM KDPA, 3400, MSA FROM KGYG, 3400, MSA FROM KLOT, 3400 - CURRENT CRITERIA.
9. ADDITIONAL FLIGHT DATA: REMOVED "REFERENCE MAG VAR: KDPA 1W EPOCH YR: 1985" AND ADDED "AIRPORT MV: KDPA (P) 1W/1985, AIRPORT MV: KARR 1W/1990, AIRPORT MV: KGYG



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
CARYN	SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024

2W/1990, AIRPORT MV: KLOT 2W/2000" - CURRENT CRITERIA.

10. REMOVED PILOT NAVIGATION AREA: "7NM ARC CENTERED ON CMSKY (IF), CW FROM: POINT A (BEARING 140 DEGREES TO CMSKY) TO: POINT B (BEARING 230 DEGREES TO CMSKY) MINIMUM ALTITUDE - 5000" FROM ADDITIONAL FLIGHT DATA - CURRENT CRITERIA.

11. CITY NAME CHANGED FROM GARY TO GARY/CHICAGO IN AIRPORTS SERVED - CURRENT AIRNAV DATA.

12. ADDED "CHART:" TO COMMUNICATIONS SECTION - CURRENT CRITERIA.

13. REMOVED "DEP CON" FROM COMMUNICATIONS - CURRENT CRITERIA.

14. REMARKS: ADDED "ABBREVIATED AMENDMENT" - CURRENT CRITERIA.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
CARYN	SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
AURORA MUNI									
RW09 (AER)	414612.55N/0882907.31W	N	-	-	-	-	-	-	-
1220 MSL	-	-	-	VA	089.14	-	-	-	-
-	-	-	-	VM	089.14	-	-	-	-
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-	-	-	-
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82	-	-	-
RW15 (AER)	414648.10N/0882910.16W	N	-	-	-	-	-	-	-
1220 MSL	-	-	-	VA	146.71	-	-	-	-
-	-	-	-	VM	146.71	-	-	-	-
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-	-	-	-
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82	-	-	-
RW18 (AER)	414635.69N/0882817.82W	N	-	-	-	-	-	-	-
1220 MSL	-	-	-	VA	179.95	-	-	-	-
-	-	-	-	VM	179.95	-	-	-	-
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-	-	-	-
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82	-	-	-
RW27 (AER)	414613.51N/0882741.52W	N	-	-	-	-	-	-	-
1220 MSL	-	-	-	VA	269.15	-	-	-	-
-	-	-	-	VM	269.15	-	-	-	-
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-	-	-	-



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>			
CARYN		SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024			
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW33 (AER)	414602.66N/0882830.30W	N	-	-	-	-			
1220 MSL	-	-	-	VA	326.71	-			
-	-	-	-	VM	326.71	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW36 (AER)	414604.10N/0882817.78W	N	-	-	-	-			
1220 MSL	-	-	-	VA	359.95	-			
-	-	-	-	VM	359.95	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW02L (AER)	WEST CHICAGO/DUPAGE 415338.51N/0881512.77W	N	-	-	-	-			
1260 MSL	-	-	-	VA	014.01	-			
-	-	-	-	VM	014.01	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW02R (AER)	415336.07N/0881459.71W	N	-	-	-	-			
1260 MSL	-	-	-	VA	014.01	-			



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CARYN		SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
-	-	-	-	VM	014.01	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW10 (AER)	415448.52N/0881530.55W	N	-	-	-	-			
1260 MSL	-	-	-	VA	096.02	-			
-	-	-	-	VM	096.02	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW15 (AER)	415509.20N/0881444.64W	N	-	-	-	-			
1260 MSL	-	-	-	VA	147.56	-			CG 205 FT PER NM TO 1000
-	-	-	-	VM	147.56	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW20L (AER)	415437.90N/0881439.06W	N	-	-	-	-			
1260 MSL	-	-	-	VA	194.02	-			
-	-	-	-	VM	194.02	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CARYN	SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW20R (AER)	415451.08N/0881448.52W	N	-	-	-	-			
1260 MSL	-	-	-	VA	194.02	-			
-	-	-	-	VM	194.02	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW28 (AER)	415443.60N/0881428.07W	N	-	-	-	-			
1260 MSL	--	-	-	VA	276.03	-			
-	-	-	-	VM	276.03	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW33 (AER)*	415442.45N/0881421.88W*	N	-	-	-	-			*DISPLACED THLD (190 FT)
1260 MSL	-	-	-	VA	327.57	-			
-	-	-	-	VM	327.57	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
GARY/CHICAGO INTL									
RW02	413644.22N/0872506.30W	N	-	-	-	-			
1100 MSL	-	-	-	VA	021.18	-			CG 323 FT PER NM TO 900
-	-	-	-	VM	021.18	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>				
CARYN	SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024				
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW12 (AER)	413727.14N/0872538.36W	N	-	-	-	-			
1100 MSL	-	-	-	VA	124.15	-			
-	-	-	-	VM	124.15	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW20 (AER)	413717.41N/0872449.15W	N	-	-	-	-			
1300 MSL	-	-	-	VA	201.19	-			
-	-	-	-	VM	201.19	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW30 (AER)	413638.00N/0872401.85W	N	-	-	-	-			
1100 MSL	-	-	-	VA	304.16	-			
-	-	-	-	VM	304.16	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW02 (AER)	CHICAGO/LEWIS UNIVERSITY 413557.23N/0880603.23W	N	-	-	-	-			



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>			
CARYN		SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024			
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
1300 MSL	-	-	-	VA	013.73	-			CG 420 FT PER NM TO 2700
-	-	-	-	VM	013.73	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW09 (AER)	413628.93N/0880616.00W	N	-	-	-	-			
1180 MSL	-	-	-	VA	087.73	-			CG 260 FT PER NM TO 2700
-	-	-	-	VM	087.73	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW20 (AER)	413659.61N/0880542.92W	N	-	-	-	-			
1180 MSL	-	-	-	VA	193.73	-			
-	-	-	-	VM	193.73	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW27 (AER)*	413631.08N/0880503.66W*	N	-	-	-	-			*DISPLACED THLD (196 FT)
1180 MSL	-	-	-	VA	267.74	-			
-	-	-	-	VM	267.74	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CARYN	SEVEN	CARYN7.CARYN	SIX	10/10/2019	EFF 31 OCT 2024

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
CARYN	411459.00N/0875333.00W	Y	-	IF	-	-			CARYN7.CYBIL
CYBIL	401900.00N/0875152.00W	Y	FB	TF	178.68	55.96			

