

U.S. Department of Transportation
Federal Aviation Administration

RNAV STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH											
FROM	T O	COURSE AND DISTANCE	ALTITUDE												
CESSI WP	JAKEP WP (TF) (FB)	294.50 / 27.67	3300	LNAV:RW18											
GRASS WP	NUSLE WP (TF) (FB)	119.34 / 27.65	3300	CLIMB TO 3200 DIRECT FARIM WP AND HOLD.											
JAKEP WP (IAF)	FANUM WP (NoPT) (TF) (FB)	274.02 / 5.00	3300												
NUSLE WP (IAF)	FANUM WP (NoPT) (TF) (FB)	093.84 / 5.00	3300	ADDITIONAL FLIGHT DATA: HOLD S, RT, 003.91 INBOUND FAS OBST: 1719 TREE 455738 / 902456 CHART 1920 TOWER 460039 / 902644											
FANUM WP (IF/IAF)	CAVSU WP (TF) (FB)	183.93 / 5.00	3200												
RW18 (MAP)	1900 MSL (CA)	183.92													
1900 MSL	FARIM WP (DF) (FO)		3200												
PROCEDURE NA FOR ARRIVAL AND GRASS ON V217 NORTH	AT CESSI ON V191 SOUTHEAST WESTBOUND	BOUND													
1. PT <u>NA</u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF)				CAVSU TO RW18: 3.05 / 40											
2. <u>HOLD N FANUM WP, RT, 183.93 INBOUND, 3300 FT. IN LIEU OF PT (IAF)</u>				FINAL SEGMENT: (TF)											
3. FAC: <u>183.92</u> FAF: <u>CAVSU WP</u> DIST FAF TO MAP: <u> </u> - <u> </u> THLD: <u>5.16</u>															
4. MIN. ALT: <u>FANUM WP 3300, CAVSU WP 3200. DAKVE WP / 2.99NM TO RW18 2500</u>															
5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u>															
6. MIN GS INCPT: <u> </u> GS ALT AT: <u> </u> OM: <u> </u> MM: <u> </u> IM: <u> </u>															
7. GS ANGLE: <u> </u> TCH: <u> </u> 34:1 IS CLEAR															
8. MSA FROM: <u>RW18 4100</u>				MAG VAR: <u>1W</u> EPOCH YEAR: <u>00</u>											
MINIMUMS															
TAKEOFF:	<input type="checkbox"/>	STANDARD	<input checked="" type="checkbox"/>	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	<input checked="" type="checkbox"/>									
CATEGORY =====>	A		B		C		D	E							
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
LNAV MDA	2020	1	526	2020	1	526	2020	1 1/2	526		NA				
CIRCLING	2060	1	560	2060	1	560	2060	1 1/2	560		NA				
NOTES: USE PHILLIPS ALTIMETER SETTING. GPS OR RNP-0.3 REQUIRED. DME/DME RNP-0.3 NA.															
CITY AND STATE		ELEVATION: <u>1500</u> TDZE: <u>1494</u>		FACILITY IDENTIFIER:		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:				SUP:					
PARK FALLS, WI		PARK FALLS MUNI		RNAV		JAN 20 2004 RNAV (GPS) RWY 18, ORIG-A				AMDT: <u>ORIG</u>					
										DATED <u>15 MAY 03</u>					

ALL AFFECTED PROCEDURES REVIEWED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		COORDINATES OF FACILITIES		REQUIRED EFFECTIVE DATE ROUTINE	
COORDINATED WITH:					
ATA <input checked="" type="checkbox"/>	AAT <input type="checkbox"/>	ALPA <input type="checkbox"/>	APA <input checked="" type="checkbox"/>	AOPA <input checked="" type="checkbox"/>	NBAA <input checked="" type="checkbox"/>
OTHER (specify) <u>ZMP, AMGR</u>					
FLIGHT CHECKED BY					
NAME: JEFFREY W. RANDALL				FIFO AVN	DATE: 12/11/2003
DEVELOPED BY					
NAME: STEVEN A. VARGAS <i>Steven A. Vargas</i>				FIFO AVN-120	DATE: 09/20/2004
APPROVED BY					
NAME: <i>LE</i> DANNY E. HAMILTON <i>Jim A. Emery</i> MANAGER				FIFO AVN-130	DATE: OCT 21 2004
CHANGES: CHANGED CA LEG CODING FROM 2020 MSL TO 1900 MSL (AIRPORT ELEVATION PLUS 400).					
REASONS: AVN-101 MEMORANDUM (CODING OF RNAV MISSED APPROACH), DATED 26 JAN 04.					



VIEW NOTAM DRAFT	
Draft Details	
ROY BARNETT AVN-120 (405)954-3242 03/18/14	
To: USNOF <i>4/9637</i>	
FDC 4/NNNN KPKF PKF IAP PARK FALLS MUNI, PARK FALLS, WI.	
RNAV (GPS) RWY 18 ORIG-A... CHART NOTE: PROCEDURE NA AT NIGHT. DELETE NOTE: GPS OR RNP-0.3 REQUIRED. CHART PHILLIPS AWOS-3. THIS IS RNAV (GPS) RWY 18 ORIG-B.	
REASON: UPDATE NIGHT OPERATIONS <i>[Signature]</i> GEORGE GONZALEZ DEV BRANCH FC REVIEWER, AVN-CFC	
CC: AVN-101 AVN-120 FPO CEN	
ADDITIONAL COMMENTS: 20:1 PENETRATIONS, ACN.	
Date/Time Group (DTG)	
Effective Date:	Effective Until Date:
Effective Time (GMT):	Effective Until Time (GMT):
Effective UTC:	Effective Until UTC:
Draft Details	
Draft ID:	201304101508325455190000500001
USNOF Working ID:	USNOF Published ID:
Create Date:	02/19/14
Stage:	DEVELOPMENT BRANCH
Cancelled By:	Status: IN DEVELOPMENT
Cancelled Date:	Owner: BARNETTR
Submission Responsibility:	

I WANT TO: