DESCRIPTION

# AIRPORT DIAGRAMS HOT SPOTS

An "Airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.

A "hot spot" is a runway safety related problem area on an airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as open circles or ellipses designated as "HS 1", "HS 2", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

HOT COOT

CITY/AIDDODT

CITY/AIRPORT	HOT SPOT	DESCRIPTION
	ALABAMA	
BIRMINGHAM		
BIRMINGHAM-SHUTTLESWORTH INTL (BHM)	HS 1	Maintain vigilance exiting terminal ramp. Ramp/twy in close proximity to Rwy 06/24 hold short bars at A5.
MOBILE		
MOBILE INTL (BFM)	HS 1	Twy A east of Rwy 36 is offset 200ft north of Twy A west of Rwy 36. Twy A does not continue straight when crossing Rwy 36.
MONTGOMERY		
MONTGOMERY RGNL (DANNELLY FLD) (MGM)	HS 1	Intersection of the Twy A5 and the ANG ramp. Potential exiting Rwy 10–28 at Twy A5.
TUSCALOOSA		
TUSCALOOSA NTL (TCL)	HS 1	Unusually placed Rwy 30 hold line just beyond Twy D5.
	FLORIDA	
FORT LAUDERDALE		
FORT LAUDERDALE EXEC (FXE)	HS 1	Active intersection when simultaneous ops occur on Rwy 09 and Rwy 13. Pilots taxi from Rwy 13 & Twy E run-up area via Twy B. Do not continue on to Rwy 09–27 without ATC authorization.
	HS 2	Active intersection when simultaneous ops occur on Rwy 09 and Rwy 13. Pilots taxi from Rwy 13 and Twy E run-up area via Twy A, Twy B and Twy E. Do not continue on to Rwy 13–31 without ATC authorization.
	HS 3	Large paved area with direct access to Rwy 13–31 from Taxilane C Ramp. Do not access Rwy 13–31 without ATC authorization.
FORT LAUDERDALE		
FORT LAUDERDALE/HOLLYWOOD INTL (FLL)	HS 1	Twy Q at Rwy 10L-28R.
	HS 2	Taxiway Arrival/Departure Risk. Maintain vigilance when taxiing to Rwy 10L on Twy C. Twy B mistaken for Rwy 10L.
FORT MYERS		
PAGE FLD (FMY)	HS 1	Multiple twy ints in the vicinity of the intersection of Rwy 05–23 and Rwy 13–31.
FORT MYERS		
SOUTHWEST FLORIDA INTL (RSW)	HS 1	Twy G1 is aligned with Twy F2. You must receive clearance to proceed onto Twy F2.
FORT PIERCE		
TREASURE COAST INTL (FPR)	HS 1	Maint vigilance confusing int.
HOLLMANOOD	HS 2	Confusing int; pilots have used Twy A as a rwy.
HOLLYWOOD	110.1	Coulth and a Too Discount COD does to see Dilete
NORTH PERRY (HWO)	HS 1	Southbound on Twy D for Rwy 28R departures—Pilots miss the turn onto Twy P and enter the rwy.
	HS 2	Acft taxiing on Twy L westbound to depart on Rwy 01L–19R, Twy L crosses the apch end of Rwy 01R. Pilots must obtain clearance from ground ctl prior to crossing Rwy 01R.
JACKSONVILLE		
JACKSONVILLE EXEC AT CRAIG (CRG)	HS 1	Maint vigilance confusing twy int.
	HS 2	Maint vigilance area not visible from the ATCT.

CITY/AIRPORT	HOT SPOT	DESCRIPTION
MIAMI		
MIAMI INTL (MIA)	HS 1	Short taxi across twys to rwy.
	HS 2	Rwy 27 and Rwy 30 wrong rwy departure risk.
	HS 3	Short taxi between rwys.
	HS 4	Two rwy ends close together with multiple hold lines that are dependent upon the rwy(s) in use. (SEE INSET)
	HS 5	Be Alert to short TWY between Rwy 08L and Rwy 08R.
MIAMI		
MIAMI-OPA LOCKA EXEC (OPF)	HS 1	Short taxi ramp to rwy risk. Large pavement area with only sfc painted location and direction signs.
NAPLES		
NAPLES MUNI (APF) NEW SMYRNA BEACH	HS 1	Maint vigilance confusing twy int.
NEW SMYRNA BEACH MUNI (JACK BOLT FLD) (EVB)	HS 1	Two closely spaced hold lines on Twy E for Rwy 25 and Rwy 20.
ORLANDO	HS 2	Maint vigilance Twy B, Twy E and Rwy 20 complex Twy/Rwy int.
	110.1	Maint visitana during taui dua ta annunging tauiung ta
ORLANDO EXEC (ORL) ORLANDO	HS 1	Maint vigilance during taxi due to converging taxiways to avoid pilot confusion.
ORLANDO SANFORD INTL (SFB)	HS 1	Maint vigilance Twy C and Rwy 27C markings often
OREANDO SANTORO INTE (SEB)	113 1	confused.
PENSACOLA		
PENSACOLA INTL (PNS)	HS 1	Be alert to multiple twy and rwy crossing points surrounding the int of Rwy 17–35 and Rwy 08–26.
POMPANO BEACH		
POMPANO BEACH AIRPARK (PMP) SARASOTA/BRADENTON	HS 1	Maint vigilance confusing twy configuration.
SARASOTA/BRADENTON INTL (SRQ)	HS 1	Remain vigilant/maintain vigilance parallel taxiways to Rwy 04–22. Remain vigilant/maintain vigilance parallel taxiways to Rwy 14–32.
	HS 2	Rwy incursion risk. Rwy 14 and Twy A. Runway Holding Position Markings further from rwy than expected.
ST AUGUSTINE		
NORTHEAST FLORIDA RGNL (SGJ)	HS 1 HS 2	Maint vigilance ramp/twy close proximity to rwy.  Maint vigilance ramp close proximity to Rwy 02 and Rwy
		06 possible wrong sfc departure.
OT DETERORUPO OLEADWATER	HS 3	Maint vigilance APCH hold bar not where expected.
ST PETERSBURG-CLEARWATER ST PETE-CLEARWATER INTL (PIE)	HS 1	Maint vigilance ramp/twy close proximity to Hold Short at Rwy 04/22.
STUART		Nwy 04/22.
WITHAM FLD (SUA)	HS 1	Intersecting rwys, wrong rwy departure risk. (Check rwy alignment.)
	HS 2	Rwy 12 and Twy A2.
TALLAHASSEE		
TALLAHASSEE INTL (TLH) TITUSVILLE	HS 1	Maint vigilance due to multiple converging twys.
SPACE COAST RGNL (TIX) VERO BEACH	HS 1	Maint vigilance confusing twy int.
VERO BEACH RGNL (VRB)	HS 1	Maint vigilance, pilots missing Rwy 04–22 hold short lines on Twy C.
WEST PALM BEACH		
PALM BEACH INTL (PBI)	HS 1	Runway 10L hold short line on Twy L is located prior to the bend in the Twy. $ \\$

AIN ON DIAGNAMO				
CITY/AIRPORT	нот spot <b>GEORGIA</b>	DESCRIPTION		
ATLANTA				
DEKALB-PEACHTREE (PDK)	HS 1	Southbound tfc on Twy B will miss the turn onto Twy A when assigned Rwy 03L or Rwy 03R.		
	HS 2	Pilots expecting Rwy 03R often fail to hold at Rwy 03L.		
	HS 3	Aircraft exiting Rwy 03R/21L at Twy G and instructed to hold short of Rwy 03L/21R often enter the runway without authorization.		
ATLANTA				
HARTSFIELD/JACKSON ATLANTA INTL (ATL)	HS 1	Intersections of Twy C and Twy D at Rwy 08L–26R. Hold short line is only 250' after exiting the FBO ramp. Rwy hold bar is canted which peaks towards the twy.		
	HS 2	Intersections of Twy C and Twy D at Rwy 08R–26L. Caution transitioning between the parallel rwys. Rwy hold bar is canted which peaks towards the twy. Rwy hold short line is only 380' away after exiting Rwy 08L–26R and 70' south of the Twy B centerline.		
AUGUSTA				
AUGUSTA RGNL AT BUSH FLD (AGS) COLUMBUS	HS 1	Int of Twy E and Rwy 17–35.		
COLUMBUS (CSG)	HS 1	Remain vigilant converging twy geometry.		
	HS 2	Remain vigilant to direc signage and pavement markings in the area.		
SAVANNAH				
SAVANNAH/HILTON HEAD INTL (SAV)	HS 1	Twy E from AER 28 to about 310' west on Twy E not visible from ATCT.		
	HS 2	Twy A from Rwy 01 apch end to about 900' north on Twy A not visible from ATCT.		
	KENTUCK	Υ		
COVINGTON				
CINCINNATI/NORTHERN KENTUCKY INTL (CVG)	HS 1	Be alert to multiple twy crossing points surrounding the intersection of Rwy 18C–36C and Rwy 09–27.		
LEXINGTON				
BLUE GRASS (LEX)	HS 1	Rwy 27 apch hold occurs prior to Rwy 22 hold line, and only applies when instructed by ATC.		
LOUISVILLE				
BOWMAN FLD (LOU)	HS 1	Acft operating near Rwy 06–24, Rwy 15–33 at midfield are in close proximity to intersecting/crossing rwy and twys.		
	HS 2	Rwy incursion risk. Rwy 06 at Twy A1. Direct access to Rwy from ramp.		
LOUISVILLE				
LOUISVILLE MUHAMMAD ALI INTL (SDF)	HS 1	Frequent crossings Rwy 17L–35R at Twy G – required to gain access to full length of Rwy 35R. Frequent crossings of Rwy 29 at Twy D.		
	HS 2	Frequent crossings at Twy B and Twy C during Rwy 29 ops.		
OWENSBORO				
OWENSBORO/DAVIESS CO RGNL (OWB)	HS 1	Northbound tfc on Twy C must remain alert so as to not mistake Rwy 06–24 for a parallel twy. First right turn on Twy C from ramp area is Twy E.		
PADUCAH				
BARKLEY RGNL (PAH)	HS 1	Rwy 14–32 at Twy F: Short taxi risk after turning on Twy F.		

CITY/AIRPORT	HOT SPOT	DESCRIPTION
	NORTH CAR	ULINA
ASHEVILLE	HS 1	Indicate of Toron Alberta A.F. and A.C. forces the trans
ASHEVILLE RGNL (AVL) CHARLOTTE	H2 1	Ltd vis of Twy A btn A5 and A6 from the twr.
CHARLOTTE/DOUGLAS INTL (CLT)	HS 1	Confusing intersection due to the convergence of Twy R, Twy A, Twy C and Twy C9 along with grass island.
	HS 2	Pilots exiting Rwy 18C–36C on Twy S for either Twy E or Twy F mistakenly turn left on Twy E5 and reenter the rwy.
	HS 3	Maint vigilance northbound on Twy C approaching Twy C10 twy signs not aligned, allow for wingtip clnc with tfc exiting Rwy 36R at Twy C10.
GREENSBORO		
PIEDMONT TRIAD INTL (GSO)	HS 1	Maint vigilance confusing twy, turn rgt onto Twy K6, only cargo N of Twy K6
RALEIGH/DURHAM	LIC 1	Maintain visilance at Duny 221, OED and Tury C. Hald
RALEIGH-DURHAM INTL (RDU)	HS 1	Maintain vigilance at Rwy 23L–05R and Twy C. Hold short of Rwy 23L–05R until air traffic issues clearance to cross Rwy 23L–05R.
WILMINGTON INTL (ILAA)	110.1	Materials delices a section of the state of the section of the sec
WILMINGTON INTL (ILM)	HS 1 Puerto F	Maintain vigilance confusing int, close proximity to rwy.
	PUERIUI	TICU
SAN JUAN	HS 1	Maint vigilance highly congested area.
LUIS MUNOZ MARIN INTL (SJU)	HS 2	Maint vigilance highly congested area.  Maint vigilance highly congested area.
	SOUTH CAR	0 0 3 0
CHARLESTON	JOUTH OAK	OLINA
CHARLESTON CHARLESTON AFB/INTL (CHS)	HS 1	Twy A and Twy F and Rwy 15–33 confusing int.
0.7, 11, 12, 10, 11, 12, 11, 12, 11, 12, 12, 12, 12, 12	HS 2	Maint vigilance when crossing Rwy 21 to Twy A or Twy A1 fr Twy E.
COLUMBIA		
COLUMBIA METRO (CAE)	HS 1	When assigned Rwy 23 for departure, eastbound tfc on Twy A miss turn onto Twy C and enter Rwy 23 by mistake.
	HS 2	Maintain vigilance due to Twy geometry. Twy D enters Rwy 29 behind thld. Twy D7 requires acft to turn parl to Rwy 29 prior to Twy D.
	HS 3	Acft exiting Rwy $11$ – $29$ maint vigilance as hold posn markings are N of Twy F and Twy A6.
FLORENCE		
FLORENCE RGNL (FLO)	HS 1	Be aware, when taxing eastbound on Twy B3, pilots sometimes miss turn onto Twy B and enter Rwy 01/19 wo authorization.
GREENVILLE		
GREENVILLE DOWNTOWN (GMU)	HS 1	Maint vigilance complex rwy and twy int.
	TENNESS	SEE
KNOXVILLE MC GHEE TYSON (TYS)	HS 1	Holding position marking for full len of Rwy 23L just beyond Twy A8 on Twy A.
	HS 2	Ramp exit Twy R5 short dist from Twy A and Rwy 05R–23L. Pilots miss turn onto Twy A.
MEMPHIS		
MEMPHIS INTL (MEM)	HS 1	Two hold lines on Twy B: East of Twy S is $18\text{C}$ APCH; West of Twy S is rwy hold.
NACUNAL E	HS 2	Twy departure risk: mistaking Twy M for Rwy 36L.
NASHVILLE NASHVILLE INTL (BNA)	HS 1	Maint vigilance as hold bars on Twy K btn Twy B and Twy T4 protect Rwy 20C APCH.
	HS 2	Maint vigilance as Twy S is often mistaken for Rwy 20C departure surface.
	HS 3	When taxiing to Rwy 02R, keep left to merge onto Twy R at the Twy L split.

AIRPORT DIAGRAMS		
CITY/AIRPOR	T HOT SPOT	DESCRIPTION
SMYRNA		
SMYRNA (MQY)	HS 1	Maint vigilance direct access fr ramps to both rwys and hi volume ops.
	HS 2	Maint vigilance hi volume ops.
	HS 3	Maint vigilance Hold Short Lines further back than expected.