

LOC/DME I-ZJ 110.75 Chan 44 (Y)	APP CRS 094°	Rwy Idg 7500 TDZE 680 Apt Elev 680
--	------------------------	---


ILS Z or LOC Z RWY 10R

CHICAGO-O'HARE INTL (ORD)


RNAV 1-GPS or RADAR required for procedure entry. DME or RADAR required.
From GIBNS: RNAV-1 GPS required.
Simultaneous approach authorized.
For inop ALS, increase S-LOC 10R Cat C and D visibility to RVR 6000.

ALS F-2
MISSED APPROACH: Climb to 1200 then climbing right turn to 4000 direct DPA VOR/DME and hold.

CHICAGO APP CON 119.0 292.125	O'HARE TOWERS 128.15 348.0 (Rwy 9L/27R) 133.0 348.0 (10R/28L) 126.9 126.9 126.9 132.7 348.0 (CENTER)	GND CON (TWR NORTH) 124.125 (TWR SOUTH) 118.05 (ALL TWRS) 226.675	(TWR CENTER) 121.75 (OBND) 121.9 (IBND)	CLNC DEL 121.6
---	--	---	---	--------------------------



SAFLY HZJ [27.7] RADAR	POPOF HZJ [24.6] RADAR	DAYZE HZJ [21.4] RADAR	BNITO HZJ [18.3] RADAR	BOOTR HZJ [15.2] RADAR	NIRRA HZJ [12] RADAR	KUULA INT HZJ [6.5] RADAR	ALYEIA INT HZJ [3.4] RADAR	IM
9000	8000	7000	6000	5000	4000	2300	1220	1200 4000 DPA
*LOC only								
GS 3.00° TCH 55								
3.1 NM	3.1 NM	3.1 NM	3.1 NM	3.2 NM	5.5 NM	3.1 NM	0.7 NM	0.1 NM
CATEGORY	A		B		C		D	
S-ILS 10R	880/18		200 (200-½)					
S-LOC 10R	1100/24		420 (500-½)					



EC-3, 31 JAN 2019 to 28 FEB 2019

EC-3, 31 JAN 2019 to 28 FEB 2019