

METRO TWO DEPARTURE

AL-5506 (FAA)

ANN ARBOR MUNI (ARB)

ANN ARBOR, MICHIGAN

TOP ALTITUDE:
3000



PISTN
N42°53.54'
W83°08.19'
L-28

DXO
Arc
5000

MAARS
N42°05.30'
W82°29.17'
L-30

DETROIT
113.4 DXO
Chan 81
N42°12.79'-W83°22.00'
L-28, H-10

DUNKS
N42°25.64'
W84°11.65'
L-28, H-10

HARWL
N42°15.84'
W84°11.65'
L-28

ANNTS
N41°41.01'
W83°47.44'
L-28

ILLIE
N41°14.91'
W84°07.96'
L-28

TAKEOFF MINIMUMS

Rwys 12, 30: NA - Environmental
Rwys 6, 24: Standard.

ATIS 134.55
CLNC DEL 121.6
GND CON 121.6
ANN ARBOR TOWER *
120.3 (CTAF)
DETROIT DEP CON
118.95 284.0

NOTE: RADAR required.
NOTE: DME required.
NOTE: For use by non-RNAV equipped aircraft only.

SPECIAL INSTRUCTIONS:

When using this departure, file the appropriate depicted departure fix and route. Aircraft over HARWL must file FL220 and below. PROP AIRCRAFT departing Rwy 21L/R and 22L/R westbound, cross DXO 3.5 DME at or above 2500 MSL. Aircraft landing Cleveland (CLE) must file via MAARS. Turbojet departures at/above 10000, maintain 280K until advised by ATC. If unable, advise ATC prior to departure.

(NARRATIVE ON FOLLOWING PAGE)

NOTE: Chart not to scale.

METRO TWO DEPARTURE

ANN ARBOR, MICHIGAN

ANN ARBOR MUNI (ARB)