

POTTER ONE DEPARTURE


TED STEVENS ANCHORAGE INTL (ANC) (PANC)
AL-1500 (FAA) ANCHORAGE, ALASKA

D-ATIS
135.5
CLNC DEL
119.4 323.1
GND CON
121.9 338.25
ANCHORAGE TOWER
118.3 257.8
ANCHORAGE DEP CON
126.4 270.25

**TOP ALTITUDE:
4000**

SPARREVOHN
117.2 SQA Chan 119
N61°05.91'
W 155°38.07
L-3, H-1-2

KENAI
117.6 ENA Chan 123
N60°36.88'
W151°11.71
L-1-3-4, H-1-2



ILIAMNA
411 ILL DME Chan 91 (114.4)
N59°44.88'
W 154°54.58
L-3, H-1-2

HOMER
114.6 HOM Chan 93
N59°42.57'
W151°27.40
L-1-2-3-4, H-1-2

JOHNSTONE POINT
116.7 JOH Chan 114
N60°28.86'
W146°35.96
L-1-3-4, H-1

MIDDLETON ISLAND
115.3 MDO Chan 100
N59°25.31'
W 146°21.00
L-1-2-3, H-1

TAKEOFF MINIMUMS

Rwy 7L: 300-1½ or standard with minimum climb of 255 feet per NM to 400.

Rwy 7R: 300-1 or standard with minimum climb of 285 feet per NM to 400.

NOTE: RADAR required.

NOTE: Maximum procedure airspeed limited to 200K.

NOTE: Chart not to scale.

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 7L/R: Climb heading 074° to 600, then climbing right turn on heading 199°. Thence . . .

. . . expect RADAR vectors to assigned route or depicted fix. Maintain 4000.

Expect further clearance to filed altitude within 10 minutes after departure.

POTTER ONE DEPARTURE

ANCHORAGE, ALASKA
TED STEVENS ANCHORAGE INTL (ANC) (PANC)

AK, 25 FEB 2021 to 22 APR 2021

AK, 25 FEB 2021 to 22 APR 2021