


WAAS CH 48803 W28A	APP CRS 284°	Rwy Idg TDZE Apt Elev	11236 13 13
--	------------------------	-----------------------------	--

RNAV (GPS) Z RWY 28R

SAN FRANCISCO INTL (SFO)



RNP APCH.		SAN FRANCISCO TOWER		GND CON	CLNC DEL	CPDLC		
<p>▼ Circling NA to Rwys 10L, 10R, 19L, and 19R. Circling Rwy 1L, 1R NA at night. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 3°C or above 54°C. For inop ALS, increase LNAV/VNAV all Cats visibility to 1½ SM, increase LNAV Cat C/D visibility to 2 SM.</p>		<p>113.7 115.8 118.85</p>		<p>134.5 338.2</p>	<p>120.5 269.1</p>	<p>121.8</p>	<p>118.2</p>	
<p>ALSF-2</p>		<p>MISSED APPROACH: Climb to 3200 direct VIKYU and hold, continue climb-in-hold to 3200.</p>						



SW-2, 22 FEB 2024 to 21 MAR 2024

SW-2, 22 FEB 2024 to 21 MAR 2024

ELEV 13	D	TDZE 13
---------	----------	---------



CATEGORY	A	B	C	D
LPV DA		213/18	200 (200-½)	
LNAV/VNAV DA		642-1⅓	629 (700-1⅓)	
LNAV MDA	760/24 747 (800-½)	760/40 747 (800-¾)	760-1¾	747 (800-1¾)
C CIRCLING	760-1 747 (800-1)	960-1¼ 947 (1000-1¼)	1560-3 1547 (1600-3)	NA