

VOR/DME MOX <b>109.6</b> Chan <b>33</b>	APP CRS <b>315°</b>	Rwy Idg <b>4899</b> TDZE <b>1130</b> Apt Elev <b>1136</b>
---	------------------------	---





# VOR RWY 32

MORRIS MUNI/CHARLIE SCHMIDT FLD (MOX)

**NA** Circling NA to Rwys 4 and 22. VDP NA when using Benson altimeter setting.  
When local altimeter setting not received, use Benson altimeter setting and increase all MDAs 60 feet and increase S-32 visibility Cat C 1/8 SM and Circling visibility Cat C 1/4 SM; increase JEXIR fix minimums S-32 and Circling visibility Cat C 1/4 SM.

**MISSED APPROACH:** Climb to 3000 then left turn direct MOX VOR/DME and hold.



AWOS-3PT <b>118.6</b>	MINNEAPOLIS CENTER <b>126.1 269.2</b>	UNICOM <b>122.8 (CTAF) 0</b>
--------------------------	--	---------------------------------



NC-1, 22 FEB 2024 to 21 MAR 2024

NC-1, 22 FEB 2024 to 21 MAR 2024

ELEV 1136	TDZE 1130
-----------	-----------



CATEGORY	A	B	C	D
S-32	1700-1	570 (600-1)	1700-1 5/8 570 (600-1 5/8)	NA
<b>C</b> CIRCLING	1700-1	564 (600-1)	1860-2 724 (800-2)	NA
JEXIR FIX MINIMUMS				
S-32	1500-1 370 (400-1)			NA
<b>C</b> CIRCLING	1560-1 424 (500-1)	1600-1 464 (500-1)	1860-2 724 (800-2)	NA

# VOR RWY 32