


|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| WAAS<br>CH <b>40223</b><br><b>W26A</b> | APP CRS<br><b>265°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>9025</b><br><b>3962</b><br><b>3962</b> |
|--|------------------------|-----------------------------|---|


# RNAV (GPS) Y RWY 26L

EL PASO INTL (ELP)

|                              |  |                                       |  |                                |
|------------------------------|--|---------------------------------------|--|--------------------------------|
| RNP APCH-GPS.                |  | MALSR<br>                             | MISSED APPROACH: Climb to 4380 then climbing right turn to 7500 direct FABAN and hold. |                                |
| ▼<br>▲<br>ASR                | Circling NA for Cat D west of Rwy 4-22. For inop ALS, increase LP and LNAV Cat A/B visibility to 1 SM, and Cat C/D to 1½ SM. |                                       |  |                                |
| D-ATIS<br><b>120.0 254.3</b> | EL PASO APP CON<br><b>124.25 298.85</b>  | EL PASO TOWER<br><b>118.3 239.275</b> | GND CON<br><b>121.9 348.6</b>  | CLNC DEL<br><b>125.0 379.1</b> |



|           |          |           |
|-----------|----------|-----------|
| ELEV 3962 | <b>D</b> | TDZE 3962 |
|-----------|----------|-----------|



|                   |                       |                       |  |                         |
|-------------------|-----------------------|-----------------------|--|-------------------------|
| 4380              | 7500                  | FABAN                 | VGSi and descent angles not coincident (VGSi Angle 3.00/TCH 75). |                         |
|                   |                       |                       |  |                         |
| 0.7               | 1 NM                  | 2 NM                  | 7.1 NM   |                         |
| CATEGORY          | A                     | B                     | C  | D                       |
| LP MDA            | 4380-¾ 418 (500-¾)    |                       |  |                         |
| LNAV MDA          | 4380-¾ 418 (500-¾)    |                       |  |                         |
| <b>C</b> CIRCLING | 4420-1<br>458 (500-1) | 4440-1<br>478 (500-1) | 4480-1½<br>518 (600-1½)  | 4680-2¼<br>718 (800-2¼) |

SC-3, 11 JUL 2024 to 08 AUG 2024

SC-3, 11 JUL 2024 to 08 AUG 2024