


|                           |                        |                             |   |
|---------------------------|------------------------|-----------------------------|---|
| LOC I-HKY<br><b>108.7</b> | APP CRS<br><b>241°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>6401</b><br><b>1190</b><br><b>1190</b> |
|---------------------------|------------------------|-----------------------------|---|

# ILS or LOC RWY 24

HICKORY RGNL (HKY)

|  |   |               |  |
|--|---|---------------|--|
|  | <p>For inop ALS, increase S-LOC 24 Cat C and D visibility 1/8 SM.</p> | <p>MALS R</p> | <p>MISSED APPROACH: Climb to 1700 then climbing right turn to 4000 on heading 340° and on BZM VOR/DME R-274 to BZM VOR/DME and hold.</p> |
|--|---|---------------|--|

|                        |                                       |   |                         |                          |  |
|------------------------|---------------------------------------|---|-------------------------|--------------------------|--|
| ASOS<br><b>118.325</b> | ATLANTA CENTER<br><b>125.15 263.0</b> | HICKORY TOWER ★<br><b>128.15 (CTAF) 0</b> | GND CON<br><b>121.7</b> | CLNC DEL<br><b>121.7</b> | CLNC DEL<br><b>124.25</b><br>(When twr closed) |
|------------------------|---------------------------------------|---|-------------------------|--------------------------|--|




SE-2, 03 OCT 2024 to 31 OCT 2024

SE-2, 03 OCT 2024 to 31 OCT 2024

|           |   |           |
|-----------|---|-----------|
| ELEV 1190 | D | TDZE 1190 |
|-----------|---|-----------|

ALTERNATE MISSED APCH FIX

MSA HK 25 NM (5800)



| CATEGORY | A                      | B                     | C                             | D                             |
|----------|------------------------|-----------------------|-------------------------------|-------------------------------|
| S-ILS 24 | 1390-1/2 200 (200-1/2) |                       |                               |                               |
| S-LOC 24 | 1580-1/2               | 390 (400-1/2)         | 1580-5/8                      | 390 (400-3/8)                 |
| CIRCLING | 1640-1<br>450 (500-1)  | 1660-1<br>470 (500-1) | 2020-2 1/2<br>830 (900-2 1/2) | 2040-2 3/4<br>850 (900-2 3/4) |