

(LINSE2.LINSE) 25051

AL-5596 (FAA)

EASTON/NEWNAM FLD (ESN)

# LINSE TWO DEPARTURE (RNAV)



EASTON, MARYLAND

POTOMAC DEP CON  
133.75 254.35  
ATIS  
124.475  
CLNC DEL  
119.075  
GND CON  
119.075  
EASTON TOWER ★  
118.525

RNAV 1 - DME/DME/IRU or GPS.

RADAR required.

**TOP ALTITUDE:  
16000**



NOTE: Jet aircraft only.

**TAKEOFF MINIMUMS:**

Rwys 4, 15, 33: Standard.  
Rwy 22: 300-2 or standard with minimum climb  
of 210'/NM to 400.



NOTE: Chart not to scale.



## DEPARTURE ROUTE DESCRIPTION

Climb on assigned heading for RADAR vectors to cross TERPZ at or above 11000, thence....

....then on track 330° to cross LINSE at or above 14000. Then on assigned transition. Maintain 16000, expect filed altitude 10 minutes after departure.

JERES TRANSITION (LINSE2.JERES)

MCRAY TRANSITION (LINSE2.MCRAY)

# LINSE TWO DEPARTURE (RNAV)

(LINSE2.LINSE) 20FEB25

EASTON, MARYLAND  
EASTON/NEWNAM FLD (ESN)

NE-3, 20 MAR 2025 to 17 APR 2025

NE-3, 20 MAR 2025 to 17 APR 2025