


SC-5, 20 MAR 2025 to 17 APR 2025

AWOS-3  
 119.325  
 CTAF  
 123.0  
 HOUSTON DEP CON  
 119.7 281.4



- NOTE: RNAV 1.
- NOTE: RADAR required.
- NOTE: ATC assigned only.
- NOTE: DME/DME/IRU or GPS required.
- NOTE: For non-GPS equipped aircraft, LCH, LLA, TBD, and LEV DME's must be operational.

**TAKEOFF MINIMUMS**  
 Rwy's 16, 34: Standard with minimum  
 climb of 500' per NM to 660.

SCHOLES  
 VUH

2300  
 \*1400  
 178°  
 (32)

11000  
 \*1400

087°  
 (36)

HOODO

SBIRD (36)

(60)

CFOOD

(68)

BOWFN

11000  
 \*1700  
 076°  
 (60)

LEEVILLE  
 LEV

1000  
 \*048°  
 (82)

HARVEY  
 HRV

NOTE: Chart not to scale.



**DEPARTURE ROUTE DESCRIPTION**

TAKEOFF RUNWAY 16: Climb on heading 157° to 1400, for RADAR vectors to VUH VOR/DME, thence . . . .  
TAKEOFF RUNWAY 34: Climb on heading 312° to 2000, for RADAR vectors to VUH VOR/DME, thence . . . .

. . . . on track 118° to HOODO, then on (transition). Maintain ATC assigned altitude.  
 Expect filed altitude 10 minutes after departure.

- BOWFN TRANSITION (HOODO7.BOWFN)
- CFOOD TRANSITION (HOODO7.CFOOD)
- HARVEY TRANSITION (HOODO7.HRV)
- LEEVILLE TRANSITION (HOODO7.LEV)
- SBIRD TRANSITION (HOODO7.SBIRD)

SC-5, 20 MAR 2025 to 17 APR 2025