

|                                                 |                        |                                                     |                                   |                                  |                                                            |
|-------------------------------------------------|------------------------|-----------------------------------------------------|-----------------------------------|----------------------------------|------------------------------------------------------------|
| LOC/DME I-FUN<br><b>108.9</b><br>Chan <b>26</b> | APP CRS<br><b>095°</b> | Rwy Idg<br>TDZE <b>1026</b><br>Apt Elev <b>1026</b> | 9R<br><b>11730</b><br><b>1019</b> | 9L<br><b>1019</b><br><b>1026</b> | ILS or LOC RWY 9R<br>HARTSFIELD/JACKSON ATLANTA INTL (ATL) |
|-------------------------------------------------|------------------------|-----------------------------------------------------|-----------------------------------|----------------------------------|------------------------------------------------------------|

|                                                                                    |  |  |                  |                                                                                                      |
|------------------------------------------------------------------------------------|--|--|------------------|------------------------------------------------------------------------------------------------------|
| RADAR required for procedure entry, DME.                                           |  |  | Rwy 9R<br>ALSF-2 | MISSED APPROACH: Climb to 4000 on heading 100° and AHN VOR/DME R-235 to CONNI/AHN 30.2 DME and hold. |
| Simultaneous approach authorized.<br>Inop table does not apply to sidestep Rwy 9L. |  |  |                  |                                                                                                      |

|                                                  |                                          |                                                                                                          |  |  |                             |                          |                                    |
|--------------------------------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------|--|--|-----------------------------|--------------------------|------------------------------------|
| D-ATIS<br>ARR <b>119.65</b><br>DEP <b>125.55</b> | ATLANTA<br>APP CON<br><b>127.9 379.9</b> | ATLANTA TOWER<br>8L-26R 8R-26L 9L-27R 9R-27L 10-28 RWYS<br><b>119.1 125.325 123.85 119.3 119.5 254.4</b> |  |  | ALL<br>RWYS<br><b>121.9</b> | GND CON<br><b>121.75</b> | ALL<br>RWYS<br><b>121.65 254.4</b> |
|--------------------------------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------|--|--|-----------------------------|--------------------------|------------------------------------|

