




LOC/DME I-GEM	APP CRS	Rwy Idg	<b>8579</b>
<b>108.9</b>	<b>124°</b>	TDZE	<b>9</b>
Chan <b>26</b>		Apt Elev	<b>9</b>

# ILS or LOC RWY 12

MIAMI INTL (MIA)

DME or RADAR required.		MALS R		MISSED APPROACH: Climb to 800 then climbing left turn to 3000 direct VKZ VOR/DME and hold, continue climb-in-hold to 3000.	
<p><b>▼</b> Rwy 12 helicopter visibility reduction below ¼ SM NA. For inop ALS, increase S-ILS 12 all Cats visibility to RVR 5500. Increase S-LOC 12 visibility Cats A/B to RVR 5000 and Cats C/D to 1½ SM.</p>					
D-ATIS	MIAMI APP CON	MIAMI TOWER	GND CON		CLNC DEL
ARR <b>119.15</b>	<b>124.85 322.3</b>	<b>118.3 256.9</b>	<b>121.8</b> (8L/8R/12/26L/26R)		<b>348.6</b>
DEP <b>133.675</b>			<b>127.5</b> (9/27/30)		<b>135.35</b>
CPDLC					



SE-3, 17 APR 2025 to 15 MAY 2025

SE-3, 17 APR 2025 to 15 MAY 2025