

APP CRS 226°	Rwy Idg TDZE Apt Elev	7031 3065 3080
------------------------	-----------------------------	---

RNAV (RNP) Z RWY 23

ROBERTS FLD (RDM)




For uncompensated Baro-VNAV systems, procedure NA below -20°C (-4°F) or above 53°C (129°F). For inop MALSR, increase RNP 0.10 all Cats visibility to ½ mile. RF required. GPS required.



MISSED APPROACH: Climb to 8500 on track 226° to TIKNE left turn to PUKAJ and on track 090° to URBIA and hold, continue climb-in-hold to 8500.

ATIS 119.025	SEATTLE CENTER 126.15 269.475	REDMOND TOWER ★ 124.5 (CTAF) 0 256.8	GND CON 121.8	UNICOM 122.95
-----------------	----------------------------------	---	------------------	------------------



8500 ↑ tr 226°	TIKNE ☼	PUKAJ ☼	tr 090°	URBIA △	ZETBU 4300
----------------------	------------	------------	---------	------------	---------------

VGS1 and RNAV glidepath not coincident
(VGS1 Angle 3.00/TCH 51).

226°


4300

See planview for multiple IF locations.

GP 3.00°
TCH 47

CATEGORY	A	B	C	D
RNP 0.10 DA	3315-1½ 250 (300-½)			
RNP 0.30 DA	3552-1¼ 487 (500-1¼)			

AUTHORIZATION REQUIRED



RNAV (RNP) Z RWY 23