

|         |          |      |
|---------|----------|------|
| APP CRS | Rwy Idg  | 7006 |
| 288°    | TDZE     | 3080 |
|         | Apt Elev | 3080 |


# RNAV (GPS) Y RWY 29

ROBERTS FLD (RDM)


|           |
|-----------|
| RNP APCH. |
| -17°C     |

MISSED APPROACH: Climb to 4000 then climbing right turn to 7000 direct YONKU and hold, continue climb-in-hold to 7000.

|                 |                                  |                                        |                  |                  |
|-----------------|----------------------------------|----------------------------------------|------------------|------------------|
| ATIS<br>119.025 | SEATTLE CENTER<br>126.15 269.475 | REDMOND TOWER★<br>124.5 (CTAF) 0 256.8 | GND CON<br>121.8 | UNICOM<br>122.95 |
|-----------------|----------------------------------|----------------------------------------|------------------|------------------|



|           |   |           |
|-----------|---|-----------|
| ELEV 3080 | D | TDZE 3080 |
|-----------|---|-----------|



REIL Rwy 5, 11, and 29  
HIRL Rwy 5-23  
MIRL Rwy 11-29

|          |                    |                      |                            |                            |
|----------|--------------------|----------------------|----------------------------|----------------------------|
|          | YONKU              | JEKMO 4.5 NM to RW29 | TISTE                      | AWBAN 7 NM Holding Pattern |
|          | BODKE 2 NM to RW29 | HAPET 7 NM to RW29   |                            |                            |
|          | 3900               | 4900                 | 6400                       | 7600                       |
|          | 1.3 NM             | 0.7                  | 2.5 NM                     | 2.5 NM                     |
|          | 1.3 NM             | 0.7                  | 1.2 NM                     | 6.1 NM                     |
| CATEGORY | A                  | B                    | C                          | D                          |
| LNAV MDA | 3560-1             | 480 (500-1)          | 3560-1 3/8 480 (500-1 3/8) | NA                         |
| CIRCLING | 3560-1             | 480 (500-1)          | 3640-1 1/2 560 (600-1 1/2) | NA                         |