

LOC I-AAZ

111.9

APP CRS

116°

Rwy Ldg

10000

TDZE

9

Apt Elev

9

ILS RWY 12 (SA CAT I)

OAKLAND INTL (OAK)

DME required. From RAIDR: RNAV 1-GPS required.

MALSR

AS

MISSED APPROACH: Climb on heading 116° and on OAK VOR/DME R-131 to cross HISIS/OAK 2.8 DME at or below 1600 then climb to 5100 on heading 090° and on OAK VOR/DME R-114 to DECOT INT/OAK 11 DME/RADAR and hold, continue climb-in-hold to 5100.

D-ATIS

133.775

NORCAL APP CON

125.35 263.15

OAKLAND TOWER

118.3 291.65 (Rwys 10L/R-28L/R, 15-33)

121.9 (Rwys 10L/R-28L/R, 15-33)

121.75 (Rwy 12-30)


GND CON

121.1

CLNC DEL

121.1

CPDLC



ALCAT INT OAK 12.5

↑ hdg 116°

OAK R-131

5100

↑ hdg 090°

OAK R-114

DECOT

PLAZA INT OAK 6.5

VGS and ILS glidepath not coincident (VGS Angle 2.75/TCH 70).

2900

116°

1800

GS 2.75° TCH 55

6.1 NM

6 NM

1145°

CATEGORY	A	B	C	D
S-ILS 12	RA 153/14 150 DA 159			

SA CATEGORY I ILS - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED

REIL Rwy 10R
TDZ/CL Rwy 30
MIRL Rwy 15-33
HIRL Rws 12-30, 10L-28R, 10R-28L