



|               |         |          |      |
|---------------|---------|----------|------|
| LOC/DME I-FLZ | APP CRS | Rwy Ldg  | 4499 |
| 111.7         | 221°    | TDZE     | 1957 |
| Chan 54       |         | Apt Elev | 1957 |


ILS or LOC RWY 22R  
FELTS FLD (SFF)

|                                                                                                                                                                                                                                                                             |          |                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------|
| DME required.                                                                                                                                                                                                                                                               | MALSR    | MISSED APPROACH: Climb to 3300 then climbing left turn to 5000 on heading 200° and GEG VORTAC R-080 to GEG VORTAC and hold. |
| <p>⚠ Circling NA northwest of Rwy 4L-22R. Circling Rwy 22L NA at night.</p> <p>Rwy 22R helicopter visibility reduction below ¾ SM NA. For inop ALS, increase SHLS Cat A/B/C visibility to ¾ SM, increase S-LOC Cat A visibility to 1 SM and Cat C visibility to 2 ½ SM.</p> | <p>⚠</p> |                                                                                                                             |

|                |                                 |                                       |                  |                   |                  |
|----------------|---------------------------------|---------------------------------------|------------------|-------------------|------------------|
| ATIS<br>120.55 | SPOKANE APP CON<br>133.35 263.0 | FELTS TOWER ★<br>132.5 (CTAF) 239.025 | GND CON<br>121.7 | CLNC DEL<br>121.7 | UNICOM<br>122.95 |
|----------------|---------------------------------|---------------------------------------|------------------|-------------------|------------------|



| CATEGORY  | A                    | B | C                    | D  |
|-----------|----------------------|---|----------------------|----|
| S-ILS 22R | 2257-½ 300 (300-½)   |   |                      | NA |
| S-LOC 22R | 2800-¾ 843 (900-¾)   |   | 2800-1⅞ 843 (900-1⅞) | NA |
| CIRCLING  | 2800-1¼ 843 (900-1¼) |   | 3100-3 1143 (1200-3) | NA |



NW-1, 12 JUN 2025 to 10 JUL 2025

NW-1, 12 JUN 2025 to 10 JUL 2025