

APP CRS
279°

Rwy Ldg
8240

TDZE
18

Apt Elev
20

RNAV (RNP) Z RWY 28R


PALM BEACH INTL (PBI)

RNP AR APCH - GPS.


For uncompensated Baro-VNAV systems,
procedure NA below 6°C or above 54°C.

MISSED APPROACH: Climb to 500 then climbing
right turn to 3000 direct MORGA and hold.

D-ATIS 123.75	PALM BEACH APP CON 128.3 317.4	PALM BEACH TOWER 119.1 257.8	GND CON 121.9 284.6	CLNC DEL 121.6 284.6	CPDLC
------------------	-----------------------------------	---------------------------------	------------------------	-------------------------	-------



ELEV 20	D	TDZE 18
---------	---	---------



HIRL Rwy 10L-28R
REIL Rwys 10R, 14, 28L, 28R and 32
MIRL Rwys 14-32 and 10R-28L

500

3000

MORGA

VGSI and RNAV glidepath not coincident
(VGSI Angle 3.00/TCH 70).

See planview for multiple IF locations.

RELTY

1500

RW28R

279°

1500

GP 3.00°
TCH 58

CATEGORY	A	B	C	D
RNP 0.30 DA	404/60 386 (400-1¼)			

AUTHORIZATION REQUIRED