

ATIS  
128.3  
CLNC DEL  
121.7 (when twr closed)  
GND CON  
121.7  
MILWAUKEE DEP CON  
125.35 307.0

TOP ALTITUDE:  
ASSIGNED BY ATC




TAKEOFF MINIMUMS

Rwys 4R, 15R, 22L, 33L: NA - Environmental.  
Rwys 4L, 15L, 22R, 33R: Standard with minimum climb  
of 500' per NM to 2000.

- NOTE: RNAV 1.
- NOTE: GPS or DME/DME/IRU required.
- NOTE: RADAR required.
- NOTE: Turbojet aircraft maintain 250K until  
advised by ATC.
- NOTE: Notify ATC if unable to comply with  
crossing restrictions.

NOTE: Chart not to scale.



DEPARTURE ROUTE DESCRIPTION

Climb on assigned heading for RADAR vectors to PRFEC, thence....  
....on track 181° to cross OZAUk at or above 11000, then on track 181° to cross MAULT  
at or above 13000, then on track 193° to cross UECKR at or above 16000, then on (transition).  
Maintain ATC assigned altitude, expect filed altitude ten minutes after departure.

- DELHI TRANSITION (UECKR6.DELHI)
- SAMPL TRANSITION (UECKR6.SAMPL)