## YODUH TWO DEPARTURE (RNAV)

SAN ANTONIO DEP CON 125.7 290.225 CLNC DEL 121.375 RNAV 1 - DME/DME IRU or GPS.

RADAR required for non-GPS equipped aircraft. RADAR required.

TOP ALTITUDE: ASSIGNED BY ATC

NOTE: Aircraft destined for airports north/northeast of DFW terminal area must file the KLNGR Transition.

KLNGR

GJACK

YODUH

TAKEOFF MINIMUMS

Rwys 16, 34: Standard.





NOTE: Chart not to scale.

## V

07 AUG 2025

ō

04 SEP 2025

## DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 16: Climb on heading 157° or as assigned by ATC, for vectors to SITHH, thence. . .

TAKEOFF RUNWAY 34: Climb on heading 337° or as assigned by ATC, for vectors

 $\underline{\mathsf{TAKEOFF}}\ \mathsf{RUNWAY}\ 34: \ \mathsf{Climb}\ \mathsf{on}\ \mathsf{heading}\ 337°\ \mathsf{or}\ \mathsf{as}\ \mathsf{assigned}\ \mathsf{by}\ \mathsf{ATC}, \ \mathsf{for}\ \mathsf{vectors}\ \mathsf{to}\ \mathsf{SITHH}, \ \mathsf{thence}.\ .\ .$ 

. . . on track 002° to YODUH, then on transition. Maintain ATC assigned altitude. Expect filed altitude 10 minutes after departure.

KLNGR TRANSITION (YODUH2.KLNGR)
PRTZY TRANSITION (YODUH2.PRTZY)