

APP CRS  
**036°**

Rwy Ldg **11494**  
TDZE **640**  
Apt Elev **645**

**RNAV (RNP) X RWY 4R**

DETROIT METRO WAYNE COUNTY (DTW)

RNP AR APCH.

**T**


For uncompensated Baro-VNAV systems, procedure NA below -19°C (-2°F) or above 54°C (130°F).  
Simultaneous approach authorized.

ALSF-2

**A**

MISSED APPROACH: Climb to 4000 direct LUPAY and hold.

|                          |                                        |                                       |                                                                             |                           |       |
|--------------------------|----------------------------------------|---------------------------------------|-----------------------------------------------------------------------------|---------------------------|-------|
| D-ATIS<br><b>133.675</b> | DETROIT APP CON<br><b>124.05 284.0</b> | METRO TOWER<br><b>128.125 317.725</b> | GND CON<br><b>121.8 (NW) 119.45 (NE)</b><br><b>132.725 (SW) 119.25 (SE)</b> | CLNC DEL<br><b>120.65</b> | CPDLC |
|--------------------------|----------------------------------------|---------------------------------------|-----------------------------------------------------------------------------|---------------------------|-------|



ELEV 645

**D**

TDZE 640

GP 3.00°  
TCH 52

7000

6000

5000

4000

3000

2000

JULPE

CULOP

HIMEX

EVABE

JELLY

ETALE

RWY 4R

3.1 NM

3.1 NM

3.1 NM

3.1 NM

3.2 NM

4.1 NM

CATEGORY

A

B

C

D

RNP 0.30 DA

1031/35

391 (400-5%)

**AUTHORIZATION REQUIRED**

TDZ/CL Rwy 3R, 4L, 4R and 22R  
REIL Rwy 3L, 9L, 9R and 21R  
HIRL all runways