

LOC/DME I-SMR
111.3
Chan **50**

APP CRS
032°

Rwy Ldg
TDZE **3680**
Apt Elev **3680**


ILS RWY 3 (SA CAT I)
GREAT FALLS INTL (GTF)

Requires specific OPSPEC, MSPEC, or LOA approval and use of HUD to DH. DME required.


ALSF-2

MISSED APPROACH: Climb to 5000 then climbing right turn to 8300 direct GTF VORTAC then on GTF VORTAC R-209 to FRYMNI/I-SMR 16.9 DME and hold.

ATIS 126.6 269.0	GREAT FALLS APP CON 128.6 379.175	GREAT FALLS TOWER 118.7 282.2	GND CON 121.7 348.6	CLNC DEL 121.7 348.6
----------------------------	---	---	-------------------------------	--------------------------------



DME REQUIRED



VGSI and ILS glidepath not coincident
(VGSI Angle 3.00°/TCH 70).

One Minute
Holding Pattern

FRYMNI
I-SMR 16.9

5000

8300

GTF

GTF R-209

FRYMNI
I-SMR 16.9

DCEEE
I-SMR 9

Use I-SMR DME when on the
localizer course.

8300

←212°

032°→

032°

6000

GS 3.00°
TCH 54

6000

IM

CATEGORY

A

B

C

D

5-ILS 3

RA 140/14 150 DA 3830

**SA CATEGORY I ILS-SPECIAL AIRCREW
& AIRCRAFT CERTIFICATION REQUIRED**