


LOC I-PWB	APP CRS	Rwy Ldg	8240
111.9	279°	TDZE	18
		Apt Elev	20

ILS or LOC RWY 28R


PALM BEACH INTL (PBI)

DME required. RADAR required for procedure entry.		MISSED APPROACH: Climb to 500 then climbing right turn to 3000 on PBI VORTAC R-343 to MORGA/PBI 17.8 DME and hold.	

D-ATIS	PALM BEACH APP CON	PALM BEACH TOWER	GND CON	CLNC DEL	CPDLC
123.75	128.3 317.4	119.1 257.8	121.9 284.6	121.6 284.6	



ELEV	20	D	TDZE	18
------	----	---	------	----



500 3000		PBI R-343	MORGA	VGSI and ILS glidepath not coincident (VGSI Angle 3.00°/TCH 70°).	
		RELTY PBI 4.8 RADAR	CUPED PBI 10.8 RADAR	One Minute Holding Pattern	
PBI 0.4		1500	279°	099°	4000 3000
4.5 NM		6 NM		GS 3.00° TCH 58	
CATEGORY	A	B	C	D	
S-ILS 28R	218/40 200 (200-3/4)				
S-LOC 28R	460/55	442 (500-1)	460-1 3/8	442 (500-1 3/8)	
CIRCLING	560-1	540 (600-1)	740-2 720 (800-2)	780-2 1/2 760 (800-2 1/2)	