



|         |          |       |
|---------|----------|-------|
| APP CRS | Rwy Ldg  | 12638 |
| 259°    | TDZE     | 2067  |
|         | Apt Elev | 2181  |

RNAV (RNP) RWY 26R

HARRY REID INTL (LAS)

|                                                                               |                                               |                                                                       |                                                                                         |          |
|-------------------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------|
| RNP AR APCH-GPS.                                                              |                                               | MALS                                                                  | MISSED APPROACH: Cimb to 7000 on the RNAV missed approach route to BLD VORTAC and hold. |          |
| ▼ For uncompensated Baro-VNAV systems, procedure NA below -1°C or above 54°C. |                                               |                                                                       | * Missed approach requires minimum climb of 230 feet per NM to 3200.                    |          |
| D-ATIS                                                                        | LAS VEGAS APP CON                             | LAS VEGAS TOWER                                                       | GND CON                                                                                 | CLNC DEL |
| 132.4                                                                         | 125.025 379.15 (West)<br>119.775 282.2 (East) | 118.75 257.8 (Rwy 1L/19R, 1R/19L)<br>119.9 257.8 (Rwy 8L/26R, 8R/26L) | 121.1 270.8 E of 1R/19L<br>121.9 254.3 W of 1L/19R                                      | 118.0    |
|                                                                               |                                               |                                                                       |                                                                                         | CPDLC    |



|                                                                                                                 |                        |         |       |         |       |         |       |         |     |
|-----------------------------------------------------------------------------------------------------------------|------------------------|---------|-------|---------|-------|---------|-------|---------|-----|
| 7000                                                                                                            | SKALD                  | tr 253° | RUDYY | tr 189° | SELLZ | tr 127° | TTONE | tr 063° | BLD |
| ↑<br>tr 259°                                                                                                    | ✧                      |         | ✧     |         | ✧     |         | ✧     |         | ◻   |
| VGSI and RNAV glidepath not coincident<br>(VGSI Angle 3.00°/TCH 84).<br>See planview for multiple IF locations. |                        |         |       |         |       |         |       |         |     |
|                                                                                                                 |                        |         |       |         |       |         |       |         |     |
| CATEGORY                                                                                                        | A                      |         | B     |         | C     |         | D     |         |     |
| RNP 0.30 DA*                                                                                                    | 2457-7/8 390 (300-7/8) |         |       |         |       |         |       |         |     |
| RNP 0.30 DA                                                                                                     | 2508-1 441 (400-1)     |         |       |         |       |         |       |         |     |
| AUTHORIZATION REQUIRED                                                                                          |                        |         |       |         |       |         |       |         |     |