

APP CRS
058°

Rwy Idg **12000**
TDZE **27**
Apt Elev **30**


RNAV (RNP) Z RWY 6
SOUTHWEST FLORIDA INTL (RSW)

RNP AR APCH - GPS.
▼ For uncompensated Baro-VNAV systems, procedure NA below 4°C or above 54°C.

MALSR
AS

MISSED APPROACH: Climb to 500 then climbing right turn to 2300 direct CORFU and hold, continue climb-in-hold to 2300.

D-ATIS 124.65	FORT MYERS APP CON ★ 125.15 306.2 (RWY 6) 126.8 306.2 (RWY 24)	FORT MYERS TOWER ★ 128.75 (CTAF) 0 257.8	GND CON 121.9 257.8	CLNC DEL 132.075	UNICOM 122.95
-------------------------	--	---	-------------------------------	----------------------------	-------------------------



PEROE
1700
GP 3.00°
TCH 55

VGSI and RNAV glidepath not coincident
(VGSI Angle 3.00/TCH 69).

500 2300 CORFU

See Planview for multiple IF locations.

RW06

1 NM 4.5 NM

CATEGORY	A	B	C	D
RNP 0.11 DA	296/24 269 (300-½)			
RNP 0.30 DA	375/30 348 (400-⅝)			

AUTHORIZATION REQUIRED

REIL Rwy 24
TDZ/CL Rwy 6
HIRL Rwy 6-24