



LOC/DME I-EPA 110.15 Chan 38(Y)	APP CRS 276°	Rwy Ldg TDZE Apt Elev	8500 630 645
---	------------------------	-----------------------------	---

ILS or LOC RWY 27L
DETROIT METRO WAYNE COUNTY (DTW)

▼ DME or RADAR required. Simultaneous approach authorized. **RVR 1800 authorized with use of FD or AP or HUD to DA.	MALSR	MISSED APPROACH: Climb to 1100 then climbing left turn to 4000 on heading 180° and CRL VOR/DME R-041 to CRL VOR/DME and hold, continue climb-in-hold to 4000.
---	--	--

D-ATIS 133.675	DETROIT APP CON 124.05 284.0	METRO TOWER 128.75 317.725	GND CON 121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)	CLNC DEL 120.65	CPDLC
--------------------------	--	--------------------------------------	---	---------------------------	-------



ELEV 645	TDZE 630	1100	4000	CRL R-041	CRL	VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 71).
* LOC only. HEYYY I-EPA 21.4 DONYA I-EPA 18.3 ALWAZ I-EPA 15.1 JUSTT I-EPA 12 KNOIT I-EPA 8.8 NIKNG I-EPA 5.7 I-EPA 2.8 I-EPA 1.6						
1.2 NM 2.9 NM 3.1 NM 3.1 NM 3.1 NM 3.1 NM 3.1 NM						
CATEGORY	A	B	C	D		
S-ILS 27L **	830/24			200 (200-½)		
S-LOC 27L	1080/24			450 (500-½)		
1180-1 535 (600-1) 1180-½ 535 (600-½) 1240-2 595 (600-2)						