


|                        |                                                                |
|------------------------|----------------------------------------------------------------|
| APP CRS<br><b>036°</b> | Rwy Ldg <b>10001</b><br>TDZE <b>633</b><br>Apt Elev <b>645</b> |
|------------------------|----------------------------------------------------------------|

RNAV (RNP) W RWY 3R  
DETROIT METRO WAYNE COUNTY (DTW)

|                                                                                                                                                                                                               |                                        |                                     |                                                                                             |  |                                                                                        |       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------------------------------------|---------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------|-------|
| RNP AR APCH.                                                                                                                                                                                                  |                                        |                                     | ALSF-2<br> |  | MISSED APPROACH: Climb to 1100 then climbing right turn to 4000 direct GAUGE and hold. |       |
|  For uncompensated Baro-VNAV systems, procedure NA below -19°C (-2°F) or above 54°C (130°F). Simultaneous approach authorized. |                                        |                                     |                                                                                             |  |                                                                                        |       |
| D-ATIS<br><b>133.675</b>                                                                                                                                                                                      | DETROIT APP CON<br><b>125.15 284.0</b> | METRO TOWER<br><b>118.4 317.725</b> | GND CON<br><b>121.8 (NW) 119.45 (NE)</b><br><b>132.725 (SW) 119.25 (SE)</b>                 |  | CLNC DEL<br><b>120.65</b>                                                              | CPDLC |



VGSI and RNAV glidepath not coincident  
(VGSI Angle 3.00/TCH 70).

|             |                      |        |       |
|-------------|----------------------|--------|-------|
| WATCH       | RIBME                | NUVUE  | RW03R |
| 4000        | 3000                 | 2000   |       |
| 3.1 NM      |                      | 4.1 NM |       |
| A           | B                    | C      | D     |
| CATEGORY    | 1021/35 388 (400-5%) |        |       |
| RNP 0.30 DA | 1021/35 388 (400-5%) |        |       |

**AUTHORIZATION REQUIRED**

HIRL all runways  
REIL Rwys 3L, 9L, 9R and 21R  
TDZ/CL Rwys 3R, 4L, 4R and 22L