




LOC/DME I-INB 108.7 Chan 24	APP CRS 296°	Rwy Ldg TDZE Apt Elev 10000 9 9	ILS RWY 30 (CAT II & III) OAKLAND SAN FRANCISCO BAY (OAK)
---	------------------------	---	--

RNP APCH - GPS. From FIST or MYSHN. DME or RADAR required.	ALSIF-2 	MISSED APPROACH: Climb to 600 then climbing left turn to 4000 on heading 260° and on SAU VOR/DME R-110 to SAU VOR/DME and hold, continue climb-in-hold to 4000.
▼ Missed approach requires minimum climb of 213 feet per NM to 1540, if unable to meet climb gradient, see ILS or LOC RWY 30. CAT II: RVR 1000 authorized with specific OPSPEC, MSPEC, or LOA approval and use of autoland or HUD to touchdown.		

D-ATIS 133.775	NORCAL APP CON 125.35 263.15	OAKLAND TOWER 118.3 291.65 (10L/R-28L/R, 15-33) 127.2 256.9 (12-30)	GND CON 121.9 (10L/R-28L/R, 15-33) 121.75 (12-30)
--------------------------	--	---	---



600	4000	SAU R-110	SAU	VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 71).
				
				
CATEGORY	A	B	C	D
S-ILS 30	CAT II RA 100/12 100 DA 109			
S-ILS 30	CAT III RVR 06			
CATEGORY II & III ILS - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED				