

APP CRS  
**288°**

Rwy Ldg  
TDZE  
Apt Elev

**7006**  
**3080**  
**3080**

RNAV (GPS) Y RWY 29


ROBERTS FLD (RDM)

RNP APCH.


16°C

MISSED APPROACH: Climb to 4000 then climbing right turn to 7000 direct YONKU and hold, continue climb-in-hold to 7000.

|                 |                                  |                                        |                  |                  |
|-----------------|----------------------------------|----------------------------------------|------------------|------------------|
| ATIS<br>119.025 | SEATTLE CENTER<br>126.15 269.475 | REDMOND TOWER★<br>124.5 (CTAF) 0 256.8 | GND CON<br>121.8 | UNICOM<br>122.95 |
|-----------------|----------------------------------|----------------------------------------|------------------|------------------|



|           |   |           |
|-----------|---|-----------|
| ELEV 3080 | D | TDZE 3080 |
|-----------|---|-----------|



|          |        |                  |                            |                |                |        |                      |
|----------|--------|------------------|----------------------------|----------------|----------------|--------|----------------------|
|          | YONKU  | JEKMO            | BODKE                      | HAPET          | TISTE          | AWBAN  | 7 NM Holding Pattern |
|          | 4000   | 4.5 NM to RWY 29 | 2 NM to RWY 29             | 7 NM to RWY 29 | 7 NM to RWY 29 | 7 NM   |                      |
|          | POCIT  | 8800             | 1.3 NM to RWY 29           | 3.76° TCH 43   | 5920           | 6400   | 7600                 |
|          | 1.3 NM | 0.7              | 2.5 NM                     | 2.5 NM         | 1.2 NM         | 6.1 NM |                      |
| CATEGORY | A      | B                | C                          | D              |                |        |                      |
| LNAV MDA | 3560-1 | 480 (500-1)      | 3560-1 3/8 480 (500-1 3/8) | NA             |                |        |                      |
| CIRCLING | 3560-1 | 480 (500-1)      | 3640-1 1/2 560 (600-1 1/2) | NA             |                |        |                      |