



RNAV (RNP) RWY 24  
SAN BERNARDINO INTL (SBD)

**MISSED APPROACH:** Climb to 6000 on track 240° to OVULE and track 217° to PDZ VORTAC and hold, continue climb-in-hold to 6000.

|                          |                                     |                                                  |                         |                          |
|--------------------------|-------------------------------------|--------------------------------------------------|-------------------------|--------------------------|
| D-ATIS<br><b>124.175</b> | SOCAL APP CON<br><b>127.0 318.2</b> | SAN BERNARDINO TOWER ★<br><b>119.45 (CTAF) 0</b> | GND CON<br><b>121.8</b> | UNICOM<br><b>122.975</b> |
|--------------------------|-------------------------------------|--------------------------------------------------|-------------------------|--------------------------|



|           |          |           |
|-----------|----------|-----------|
| ELEV 1159 | <b>D</b> | TDZE 1159 |
|-----------|----------|-----------|



|                                                 |                                                                                              |         |                                                                                            |                                                                                                                                    |   |      |   |        |
|-------------------------------------------------|----------------------------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|---|------|---|--------|
| 6000<br>↑<br>tr 240°                            | OVULE<br> | tr 217° | PDZ<br> | <div> <div>ADOVE</div> <div>XONIA</div> <div>ROLIE</div> </div>                                                                    |   |      |   |        |
| <div> <div>(CFMLB)</div> <div>240°</div> </div> |                                                                                              |         |                                                                                            | <div> <div>6000</div> <div>020°</div> <div>4500</div> <div>4200</div> <div>4200</div> <div>GP 3.00°</div> <div>TCH 50</div> </div> |   |      |   |        |
| MASPV                                           |                                                                                              | MAJRU   |                                                                                            |                                                                                                                                    |   |      |   |        |
| 1800                                            |                                                                                              | 3300    |                                                                                            | 4200                                                                                                                               |   |      |   |        |
| 1.9 NM                                          |                                                                                              | 4.7 NM  |                                                                                            | 2.8 NM                                                                                                                             |   | 1 NM |   | 4.9 NM |
| CATEGORY                                        | A                                                                                            |         | B                                                                                          |                                                                                                                                    | C |      | D |        |
| RNP 0.15 DA                                     | 1520/55 361 (400-1)                                                                          |         |                                                                                            |                                                                                                                                    |   |      |   |        |
| AUTHORIZATION REQUIRED                          |                                                                                              |         |                                                                                            |                                                                                                                                    |   |      |   |        |