

LOC/DME I-HDA	APP CRS	Rwy Ldg	9002
111.1	026°	TDZE	4744
Chan 48		Apt Elev	4744

LOC BC RWY 3


IDAHO FALLS RGNL (IDA)

DME required.

▽
▲

MISSED APPROACH: Climb to 7000 on I-HDA localizer
NE course 026° to YAGUP/I-HDA 13.8 DME and hold.

ATIS	SALT LAKE CENTER	IDAHO FALLS TOWER*	GND CON	CLNC DEL	GCO	UNICOM
135.325	128.35 239.25	118.5 (CTAF) 0 257.8	121.7	121.7	121.725	122.95



Disregard glide slope indications.

Remain within 15 NM

CHYME I-HDA 5.2

6500 206°

6500 026°

3.00° TCH 50

7000 I-HDA NE crs 026°

YAGUP I-HDA 13.8

FEBED I-HDA 0.5

VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 35).

4.7 NM

0.7

CATEGORY	A	B	C	D	E
S-LOC 3	5080-1 336 (400-1)				
CIRCLING	5200-1 456 (500-1)	5300-1 556 (600-1)	5400-1¼ 656 (700-1¼)	5420-2¼ 676 (700-2¼)	5420-2½ 676 (700-2½)

