

|                                        |                        |                                                                 |
|----------------------------------------|------------------------|-----------------------------------------------------------------|
| WAAS<br>CH <b>56507</b><br><b>W16A</b> | APP CRS<br><b>168°</b> | Rwy Idg <b>4200</b><br>TDZE <b>1505</b><br>Apt Elev <b>1506</b> |
|----------------------------------------|------------------------|-----------------------------------------------------------------|



RNAV (GPS) RWY 16  
SEWARD MUNI (SWT)

RNP APCH.

|             |                                              |
|-------------|----------------------------------------------|
| <b>T</b>    | Baro-VNAV NA. Use Lincoln altimeter setting. |
| <b>A</b> NA | Circling NA to Rwy 4 and 22.                 |

**MISSED APPROACH:** Climb to 3300 direct AJADI and hold.

|                                 |                                     |                                 |
|---------------------------------|-------------------------------------|---------------------------------|
| LNK ASOS<br><b>118.05 290.9</b> | OMAHA APP CON<br><b>124.0 270.3</b> | UNICOM<br><b>122.8 (CTAF) 0</b> |
|---------------------------------|-------------------------------------|---------------------------------|



4 NM Holding Pattern

APIKY

3300

348°

168°

3100

ECHER

CETRI

1.8 NM to RW16

RW16

\*2100

GP 3.00° TCH 41

5.1 NM

3.1 NM

1.8 NM

AJADI

\*LNAV only

| CATEGORY     | A       | B            | C  | D |
|--------------|---------|--------------|----|---|
| LPV DA       | 1832-1¼ | 327 (400-1¼) | NA |   |
| LNAV/VNAV DA | 1926-1½ | 421 (500-1½) | NA |   |
| LNAV MDA     | 1960-1  | 455 (500-1)  | NA |   |
| CIRCLING     | 2020-1  | 514 (600-1)  | NA |   |