


|     |              |             |          |             |
|-----|--------------|-------------|----------|-------------|
| LOC | I-PMD        | APP CRS     | Rwy Ldg  | 12002       |
|     | <b>110.7</b> | <b>254°</b> | TDZE     | <b>2503</b> |
|     |              |             | Apt Elev | <b>2543</b> |

ILS Z or LOC Z RWY 25  
PALMDALE USAF PLANT 42 (PMD)

**⚠** Circling NA for Cats C, D, and E south of Rwy 4 and 25.  
**⚠** DME from PMD VORTAC. Simultaneous reception of I-PMD and PMD DME required.

MISSED APPROACH: Climb to 3000 then climbing right turn to 6700 on heading 318° and on PMD VORTAC R-298 to FISCH INT/PMD 14.3 DME/RADAR and hold, continue climb-in-hold to 6700.

|                        |                                       |                                                 |                               |
|------------------------|---------------------------------------|-------------------------------------------------|-------------------------------|
| ATIS<br><b>118.275</b> | JOSHUA APP CON<br><b>124.55 363.0</b> | PALMDALE TOWER ★<br><b>123.7 (CTAF) 0 317.6</b> | GND CON<br><b>121.9 317.6</b> |
|------------------------|---------------------------------------|-------------------------------------------------|-------------------------------|



|                                                                 |           |      |      |           |       |                   |                   |               |      |      |      |                     |
|-----------------------------------------------------------------|-----------|------|------|-----------|-------|-------------------|-------------------|---------------|------|------|------|---------------------|
| ELEV 2543                                                       | TDZE 2503 | 3000 | 6700 | PMD R-298 | FISCH | FORDA INT PMD 5.6 | AMANE INT PMD 9.6 | SKKEE PMD 2.5 | 3500 | 4500 | 5000 | Remain within 10 NM |
| VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 76). |           |      |      |           |       |                   |                   |               |      |      |      |                     |
|                                                                 |           |      |      |           |       |                   |                   |               |      |      |      |                     |
| CATEGORY                                                        |           |      |      |           |       |                   |                   |               |      |      |      |                     |
| S-ILS 25                                                        |           |      |      |           |       |                   |                   |               |      |      |      |                     |
| S-LOC 25                                                        |           |      |      |           |       |                   |                   |               |      |      |      |                     |
| CIRCLING                                                        |           |      |      |           |       |                   |                   |               |      |      |      |                     |
| SKKEE FIX MINIMUMS (DME REQUIRED)                               |           |      |      |           |       |                   |                   |               |      |      |      |                     |
| S-LOC 25                                                        |           |      |      |           |       |                   |                   |               |      |      |      |                     |
| CIRCLING                                                        |           |      |      |           |       |                   |                   |               |      |      |      |                     |