


APP CRS	Rwy Ldg	7031
226°	TDZE	3067
	Apt Elev	3082

RNAV (RNP) Z RWY 23

ROBERTS FLD (RDM)

RNP AR APCH - GPS, RF. Authorization required. From ARNOY: min RNP 0.70.	MALS R	MISSED APPROACH: Climb to 8500 on track 226° to TIKNE left turn to PUKAJ and on track 090° to URBIA and hold, continue climb-in-hold to 8500.
For uncompensated Baro-VNAV systems, procedure N/A below -16°C or above 54°C. For inop ALS, increase RNP 0.10 all Cats visibility to ¾ SM. For inop ALS, increase RNP 0.30 all Cats visibility to 1¾ SM.		

ATIS	SEATTLE CENTER	REDMOND TOWER★	GND CON	UNICOM
119.025	126.15 269.475	124.5 (CTAF) 256.8	121.8	122.95



ELEV 3082 D TDZE 3067

8500 TIKNE

↑ tr 226°

PUKAJ

↘ tr 090°

URBIA

△

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 51).

RW23

226°

4300

GP 3.00° TCH 47

See planview for multiple IF locations.

3.8 NM

CATEGORY	A	B	C	D
RNP 0.10 DA	3322-½ 255 (300-½)			
RNP 0.30 DA	3552-1 485 (500-1)			

AUTHORIZATION REQUIRED

REIL Rwy 5, 11, and 29

HIRL Rwy 5-23

MIRL Rwy 11-29