

INSTRUMENT APPROACH PROCEDURE CHARTS

A IFR ALTERNATE AIRPORT MINIMUMS

Pilots must review the IFR Alternate Minimums Notes to determine alternate airport suitability.

ANA designation on the approach chart means that pilots may not use that approach as an alternate due to unmonitored facility, absence of weather reporting service, or lack of adequate navigation coverage.

Approaches with the **A**NA designation are not listed in this section. **A** designation on the approach chart indicates that the approach procedure has non-standard minimums (for aircraft other than helicopters) or restrictions (for all users) for its use as an alternate. A procedure is not authorized for alternate flight planning purposes when local weather is not available.

MILITARY USERS NOTE: For IFR alternate airport and minima planning, refer to appropriate service directives.

Alternate Minima (ref: 14 CFR 91.169)

	Precision Approach	Non-Precision Approach
Standard	600-2	800-2
A Non-Standard or restrictions	As indicated below	As indicated below
Helicopters	For the selected approach: Ceiling: 200' above published ceiling Visibility: the greater of 1 SM visibility or the published visibility	

Note: For alternate airport flight planning purposes, precision approach operations include: ILS, PAR, and GLS, and Non-Precision approach operations include: NDB, VOR, LOC, TACAN, LDA, SDF, ASR, RNAV (GPS) and RNAV (RNP).

NAME	ALTERNATE MINIMUMS
------	--------------------

NAME ALTERNATE MINIMUMS

BABELTHUAP ISLAND, PW

PALAU INTL (ROR) (PTRO)...RNAV (GPS) Rwy 9
RNAV (GPS) Rwy 27
NDB Rwy 9¹

NA except standard for operators with approved weather reporting service.

¹Cat A, B 900-2. Cat C 900-2½. Cat D 900-2¾.

HANA, HI

HANA (HNM) (PHHN).....RNAV (GPS) Rwy 26
Cat A 900-2, Cat B 1100-2.

HILO, HI

HILO INTL (ITO) (PHTO).....ILS or LOC Rwy 26¹²
RNAV (GPS) Rwy 21³
RNAV (GPS) Rwy 26³
VOR/DME or TACAN Rwy 26³
VOR/DME or TACAN-A³
VOR-B³

¹LOC Cat C 900-2¼. Cat D 1300-3.²NA when control tower closed.³Cat C 900-2¼, Cat D 1300-3.

HONOLULU, HI

DANIEL K INOUEY
INTL (HNL) (PHNL).....RNAV (GPS) Rwy 4L¹
RNAV (GPS) Rwy 8R²
RNAV (GPS) Y Rwy 4R³
RNAV (GPS) Y Rwy 8L⁴
LOC Rwy 4R⁵
LOC Rwy 8L⁴
VOR or TACAN Rwy 4R⁶
VOR or TACAN-A⁵
VOR or TACAN-B⁵

¹Cat C 900-2¼, Cat D 1400-3, Cat E 2000-3.

²Cat C 900-2¹/₄, Cat D 1400-3, Cat E 2100-3.

³Cat D 1300-3.

⁴Cat C 900-2¼, Cat D 1300-3.

⁵Cat C 800-2¼, Cat D 1400-3.

⁶Cat C 900-2¼, Cat D 1400-3.

NAME ALTERNATE MINIMUMS

KAHULUI, HI

KAHULUI

(OGG) (PHOG).....ILS Y or LOC Y Rwy 2¹²

ILS Z or LOC Z Rwy 2¹²

RNAV (GPS) Rwy 20³

RNAV (GPS) Rwy 23⁴

RNAV (GPS) Y Rwy 2⁵⁶

VOR Z or TACAN Rwy 20³
¹LOC Cat C 800-2¼, Cat D 1200-3, Cat E 1700-3.

²NA when control tower closed.

³Cat D 1100-3.

⁴Cat D 1200-3.

⁵Cat C 800-2¼, Cat D 1200-3.

⁶NA when local weather not available.

KAILUA-KONA, HI

ELLISON ONIZUKA KONA INTL AT

KEAHOLE (KOA) (PHKO).....ILS or LOC Rwy 17¹

RNAV (GPS) Rwy 35²

RNAV (GPS) Y Rwy 17²

VOR or TACAN Rwy 17²

VOR or TACAN Rwy 35²
¹NA when tower closed.

²NA when local weather not available.

KAPOLEI, HI

KALAELOA (JOHN RODGERS

FLD) (JRF) (PHJR).....RNAV (GPS) Rwy 4R¹

NDB Rwy 4R²
¹NA when local weather not available.

²Cat C 800-2¼, Cat D 800-2½.

KAUNAKAKAI, HI

MOLOKAI (MCK) (PHMK).....RNAV (GPS)-B¹²

VOR or TACAN-A³
¹Cat C 1200-3, Cat D 1500-3.

²NA when local weather not available.

³Cat A, B 1500-2, Cat C, D 1500-3.

KOSRAE, FM

KOSRAE (TTK) (PTSA).....RNAV (GPS) Rwy 5¹

RNAV (GPS) Rwy 23²
¹NA except standard for operators with approved weather reporting service.

²NA except Cat A, B standard, Cat C 800-2¼, Cat D 800-2½, for operators with approved weather reporting service.

LANAI CITY, HI

LANAI (LNY) (PHNY).....RNAV (GPS) Rwy 3¹²

VOR or TACAN or GPS-A³
¹Cat C 900-2½.

²NA when local weather not available.

³NA when local weather not received except for operators with approved weather reporting service.

NAME

ALTERNATE MINIMUMS

LIHUE, HI

LIHUE (LIH) (PHLI).....ILS or LOC Rwy 35¹

RNAV (RNP) Z Rwy 21²

RNAV (GPS) Rwy 17³⁴

RNAV (GPS) Y Rwy 21³⁴

RNAV (GPS) Y Rwy 35⁵

VOR or TACAN Rwy 21⁴
¹NA when control tower closed.

²RNP 0.30 Cat A, B, C, D 1000-4.

³Cat C, D 800-2½.

⁴NA when local weather not available.

⁵Cat C 800-2¼, Cat D 800-2½.

MIDWAY ATOLL, QM

HENDERSON

FLD (MDY) (PMDY).....RNAV (GPS) Rwy 6

RNAV (GPS) Rwy 24

NDB Rwy 6

NDB Rwy 24

NA except standard for operators with approved weather reporting service.

PAGO PAGO, AS

PAGO PAGO

INTL (PPG) (NSTU).....ILS or LOC Rwy 5¹

RNAV (GPS) Rwy 5²

RNAV (GPS) Rwy 23²

VOR or TACAN-B²
¹ILS Cat A, B, C, D 900-2; LOC Cat C 800-2½, Cat D 900-2¾.

²Cat C 800-2¼, Cat D 900-2¾.

POHNPEI ISLAND, FM

POHNPEI

INTL (PNI) (PTPN).....RNAV (GPS) Rwy 27¹

RNAV (GPS) X Rwy 9²

NDB-A²
¹Cat D 800-2¼.

²Cat A, B 1000-2, Cat C, D 1000-3.

ROTA ISLAND, MP

BENJAMIN TAISACAN MANGLONA

INTL (GRO) (PGRO).....RNAV (GPS) Rwy 9

RNAV (GPS) Rwy 27

NDB Rwy 9¹

NDB Rwy 27

NA except standard for operators with approved weather reporting service.

¹Cat A, B 1200-2, Cat C, D 1200-3.

SAIPAN ISLAND, MP

FRANCISCO C ADA/SAIPAN

INTL (GSN) (PGSN).....NDB Y Rwy 7

Cat D 800-2¼.



25275

M3

[illegible]

NAME

TAMUNING, GU

GUAM INTL (GUM) (PGUM)...ILS or LOC Rwy 6L¹

ILS or LOC Rwy 6R¹

RNAV (GPS) Y Rwy 24L²RNAV (GPS) Y Rwy 24R³VOR or TACAN Rwy 24R³¹LOC Cat A, B 1200-2, Cat C, D 1200-3.

²Cat A, B 900-2, Cat C 900-2³/₄, Cat D 900-3.

³Cat A, B 900-2, Cat C, D 900-2½.

TINIAN ISLAND, MP

FRANCISCO MANGLONA BORJA/TINIAN

INTL (TNI) (PGWT).....RNAV (GPS) Rwy 8

RNAV (GPS) Rwy 26

Cat D 800-2½.

NA when local weather not available.

WENO ISLAND, FM

CHUUK

INTL (TKK) (PTKK).....RNAV (GPS) Rwy 4¹²

RNAV (GPS) Rwy 22²³

NDB Rwy 4⁴

NDB Rwy 22²⁵

¹Cat A, B, C, D 800-3.

²NA except standard for operators with approved weather reporting service.

³Cat A, B 900-2, Cat C 900-2½, Cat D 900-2¾.

⁴NA except for operators with approved weather reporting service. Cat A, B, C, D 800-2½.

⁵Cat C, D 800-2½.

YAP ISLAND, FM
YAP INTL (T11) (PTYA).....NDB/DME Rwy 25¹

NDB Rwy 7²

NDB Rwy 25¹

NDB RWY 25

¹Cat A, B 1000-2, Cat C, D 1000-3.

²Cat D 800-2¼.

25275

M3



02 OCT 2025 to 27 NOV 2025