

APP CRS
238°

Rwy Idg **12000**
TDZE **30**
Apt Elev **30**

RNAV (RNP) Z RWY 24
SOUTHWEST FLORIDA INTL (RSW)


RNP AR APCH - GPS

For uncompensated Baro-VNAV systems, procedure NA below 4°C or above 54°C.

MISSED APPROACH: Climb to 500 then climbing left turn to 2300 direct CORFU and hold, continue climb-in-hold to 2300.

D-ATIS 124.65	FORT MYERS APP CON ★ 125.15 306.2 (RWY 6) 126.8 306.2 (RWY 24)	FORT MYERS TOWER ★ 128.75 (CTAF) 0 257.8	GND CON 121.9 257.8	CLNC DEL 132.075	UNICOM 122.95
-------------------------	--	---	-------------------------------	----------------------------	-------------------------

CPDLC	
-------	--



ELEV 30

TDZE 30

500

2300

CORFU

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00°/TCH 72).

See Planview for multiple IF locations.

238°

1500

1500

GP 3.00° TCH 52

REIL Rwy 24

TDZ/CL Rwy 6

HIRL Rwy 6-24

238°

2300

239

83

2000

150

AS

4.5 NM

CATEGORY	A	B	C	D
RNP 0.11 DA	294-7/8 264 (300-7/8)			
RNP 0.30 DA	397-1 367 (400-1)			

AUTHORIZATION REQUIRED

SE-3, 27 NOV 2025 to 26 DEC 2025

SE-3, 27 NOV 2025 to 26 DEC 2025