


|             |                      |
|-------------|----------------------|
| APP CRS     | Rwy Idg <b>12000</b> |
| <b>058°</b> | TDZE <b>27</b>       |
|             | Apt Elev <b>30</b>   |

RNAV (RNP) Z RWY 6  
SOUTHWEST FLORIDA INTL (RSW)


|                                                                              |       |                                                                                                                       |
|------------------------------------------------------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------|
| RNP AR APCH - GPS.                                                           | MALSR | MISSED APPROACH: Climb to 500 then climbing right turn to 2300 direct CORFU and hold, continue climb-in-hold to 2300. |
| ▼ For uncompensated Baro-VNAV systems, procedure NA below 4°C or above 54°C. | AS    |                                                                                                                       |

|               |                                                            |                                     |                    |                |               |
|---------------|------------------------------------------------------------|-------------------------------------|--------------------|----------------|---------------|
| D-ATIS        | FORT MYERS APP CON ★                                       | FORT MYERS TOWER ★                  | GND CON            | CLNC DEL       | UNICOM        |
| <b>124.65</b> | <b>125.15 306.2</b> (RWY 6)<br><b>126.8 306.2</b> (RWY 24) | <b>128.75</b> (CTAF) <b>0 257.8</b> | <b>121.9 257.8</b> | <b>132.075</b> | <b>122.95</b> |

|       |
|-------|
| CPDLC |
|-------|



|                                                                      |                                                                                     |        |                                            |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|----------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|--------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| VGSI and RNAV glidepath not coincident<br>(VGSI Angle 3.00/TCH 69°). |                                                                                     |        |                                            |                                                                                     |  |  |  |
| PEROE                                                                | CELBO                                                                               |        |                                            |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 1700                                                                 | 058°                                                                                | 1500   |                                            |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| GP 3.00°<br>TCH 55                                                   |  |        | See Planview for<br>multiple IF locations. |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 1 NM                                                                 |                                                                                     | 4.5 NM |                                            |  |                                                                                     |                                                                                     |                                                                                     |
| CATEGORY                                                             | A                                                                                   | B      | C                                          | D                                                                                   |                                                                                     |                                                                                     |                                                                                     |
| RNP 0.11 DA                                                          | 296/24 269 (300-½)                                                                  |        |                                            |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| RNP 0.30 DA                                                          | 375/30 348 (400-⅝)                                                                  |        |                                            |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| AUTHORIZATION REQUIRED                                               |                                                                                     |        |                                            |                                                                                     |                                                                                     |                                                                                     |                                                                                     |



SE-3, 27 NOV 2025 to 25 DEC 2025

SE-3, 27 NOV 2025 to 25 DEC 2025