

LOC I-PDT	APP CRS	Rwy Ldg	6301
110.3	254°	TDZE	1487
		Apt Elev	1497

ILS or LOC RWY 26

EASTERN OREGON RGNL AT PENDLETON (PDT)

DME required.

▼


⚠

DME from PDT VORTAC. Simultaneous reception of I-PDT and PDT DME required.
*RVR 1800 authorized with use of FD or AP or HUD to DA.

MALSR

MISSED APPROACH: Climb to 4200 direct PDT VORTAC and hold, continue climb-in-hold to 4200.

ASOS	SPOKANE APP CON *	PENDLETON TOWER *	GND CON	UNICOM
118.325	133.15 379.15	119.7 (CTAF) 257.8	121.9 257.8	122.95



ELEV 1497

TDZE 1487

4200

PDT

VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 48).

SAYOS

PDT

7.1

FAVUB

PDT

13.1

REYOT

PDT

15

GARYC INT

PDT

20

2320

4300

4800

5600

1.1 NM

1.4 NM

6 NM

1.9 NM

5 NM

GS 3.00°

TCH 55

CATEGORY	A	B	C	D
S-ILS 26*	1687/24 200 (200-½)			
S-LOC 26	1880/24 393 (400-½)		1880/40 393 (400-¾)	
CIRCLING	1920-1 423 (500-1)	1960-1 463 (500-1)	1980-1½ 483 (500-1½)	2200-2¼ 703 (800-2¼)

REIL Rwy 11 and 29

MIRL Rwy 11-29

HIRL Rwy 8-26