


LOC I-MLB	APP CRS	Rwy Ldg	9482
108.3	274°	TDZE	26
		Apt Elev	33

LOC BC RWY 27L
MELBOURNE ORLANDO INTL (MLB)

DME or RADAR required.		MISSED APPROACH: Climb to 1600 on MLB VOR/DME R-272 to FIBOP/MLB VOR/DME 6.5 DME/RADAR and hold.		
------------------------	--	--	--	--

ATIS 132.55	ORLANDO APP CON 126.025 281.425	MELBOURNE TOWER ★ 118.2 (CTAF) 257.8	GND CON 121.9	UNICOM 122.95
----------------	------------------------------------	---	------------------	------------------



BACK COURSE

ELEV 33	D	TDZE 26
TDZ/CL Rwy 9R REIL Rwy 27L MIRL Rwy 5-23 and 9L-27R HIRL Rwy 9R-27L		
FAF to MAP 4.3 NM		
Knots	60	90 120 150 180
Min:Sec	4:18	2:52 2:09 1:43 1:26

1600 MLB R-272		FIBOP MLB 6.5	CAPEN MLB 5.3 RADAR	One Minute Holding Pattern
OWZIJ MLB 1		MLB 1.5	274°	094°
0.8 0.5 NM		3.8 NM	4500 1700	Disregard GS indications.
CATEGORY	A	B	C	D
S-27L	500-1	474 (500-1)	500-1 3/8	474 (500-1 3/8)
CIRCLING	500-1 467 (500-1)	560-1 527 (600-1)	680-1 3/4 647 (700-1 3/4)	880-2 3/4 847 (900-2 3/4)