


LOC I-BZN 109.3	APP CRS 123°	Rwy Ldg TDZE 8994 4443 Apt Elev 4473
---------------------------	------------------------	---

ILS Y RWY 12 (SA CAT II)



BOZEMAN YELLOWSTONE INTL (BZN)

-21°C DME from BZN VOR/DME. DME use requires simultaneous reception of I-BZN and BZN DME. Requires specific OPSPEC, MSPEC, or LOA approval. Procedure NA when tower closed.	MALSR 	MISSED APPROACH: Climb to 5200 then climbing right turn to 9000 on heading 250° and on BZN VOR/DME R-223 to BRIGR INT/BZN VOR/DME 15 DME and hold, Continue climb-in-hold to 9000.
--	-----------	--

ATIS 135.425	BIG SKY APP CON* 118.975 226.675	BOZEMAN TOWER* 118.2 (CTAF) 0	GND CON 121.8	UNICOM 122.95
------------------------	--	---	-------------------------	-------------------------



ELEV 4473		TDZE 4443
-----------	--	-----------



CATEGORY	A	B	C	D
S-ILS 12	RA 120/12 100 DA 4543			

SA CATEGORY II ILS - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED

NW-1, 19 MAR 2026 to 16 APR 2026

NW-1, 19 MAR 2026 to 16 APR 2026