

LOC/DME I-AQI 111.75 Chan 54 (Y)	APP CRS 101°	Rwy Ldg 10114 TDZE 809 Apt Elev 815
--	------------------------	--

ILS RWY 10R (SA CAT I & II)

JOHN GLENN COLUMBUS INTL (CMH)


ADF required. DME or RADAR required.

Simultaneous approach authorized.
SA CAT I, SA CAT II: Requires specific OPSPEC, MSPEC, or LOA approval.



MALSR

MISSED APPROACH: Climb to 1400 then climbing right turn to 3000 direct BU LOM and hold.

D-ATIS 124.6	COLUMBUS APP CON 125.95 371.975	COLUMBUS TOWER 132.7 257.8	GND CON 121.9 348.6
------------------------	---	--------------------------------------	-------------------------------



ELEV 815	D TDZE 809
----------	-------------------



CATEGORY	A	B	C	D
S-ILS 10R	SA CAT I	RA 146/14	150 DA 959	
S-ILS 10R	SA CAT II	RA 99/12	100 DA 909	

TDZL/RCLS Rwy 10R-28L
HIRL Rwy 10R-28L and 10L-28R

SA CATEGORY I & II ILS- SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED

EC-2, 19 MAR 2026 to 16 APR 2026

EC-2, 19 MAR 2026 to 16 APR 2026