


COPTER ILS or LOC RWY 6

BRADLEY INTL (BDL)


LOC/DME I-BDL	APP CRS	Rwy Ldg	9509
111.1	058°	TDZE	173
Chan 48		Apt Elev	173

RADAR required for procedure entry.		ALSF-2	MISSED APPROACH: Climb to 4000 then left turn direct BAF VORTAC and hold.
For inop ALS, increase H-ILS 6 visibility to RVR 2400 and H-LOC 6 visibility to RVR 4000.			

D-ATIS	BRADLEY APP CON	BRADLEY TOWER	GND CON
118.15	123.95 290.55 (061°-240°) 125.35 281.5 (241°-060°)	120.3 351.8	121.9 348.6



PENNA INT I-BDL 12.8 JANID INT I-BDL 9.9 HUNEE INT I-BDL 6.9 JETIX I-BDL 4.9 I-BDL 2.9 I-BDL 1.9		VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 71). 4000 BAF
GS 3.00° HCH 54		
3000 2400 1800 1160		
3 NM 3 NM 2 NM 1.9 NM 1 NM		
CATEGORY	COPTER	
H-ILS 6	273/12 100 (100-¼)	
H-LOC 6	1160/24 987 (1000-½)	
H-ILS 6	CAT II RA 101	
JETIX FIX MINIMUMS (DME REQUIRED)		
H-LOC 6	560/24 387 (400-½)	
COPTER ILS CATEGORY II - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED		



NE-1, 19 MAR 2026 to 16 APR 2026

NE-1, 19 MAR 2026 to 16 APR 2026